



GX-140, GX-160 and GX-200 Parts & Price Guide

2014

Updated 9-2-2014

Written by the J&J Technical Team
Kevin Bell, Dan Hansen, Eric Hahl.

Manual Design & Layout
Eric Hahl

Models Covered:

Honda GX-140, GX-160 & GX-200

Part No. 1-60-0060

FunParts Xpress
4897 Indian School Rd NE
Suite 150
Salem, OR 97305-1126

Toll Free Phone: 1-800-854-3140
Phone: 1-503-304-8899

Toll Free Fax: 1-800-366-7505
Fax: 1-503-304-1899

Also from FunParts Xpress
For parts description and pricing information see:
FPX Go-Kart Parts & Price Guide - Vol. 1

Visit our website for updated manuals (PDF Format)
www.jjamusements.com and www.funpartsxpress.com

© FunParts Xpress 2014

About this guide

This aim of this manual is to help you and your maintenance team keep your Go-Karts in top condition.

This guide contains drawings, illustrations and photographs of parts and accessories for the Honda GX-140, GX-160 and GX-200 engines used in J&J Go-karts.

Contents

Safety First	4
General Order and Shipment Policy	8
Ordering Information	10
To Place An Order:	10
Return Policy	10
PARTS	
Cylinder Head - GX140, GX160 & GX200	12
Cylinder - GX140, GX160 & GX200	13
Crank Case Cover - GX140, GX160 & GX200	14
Crank Case - GX140, GX160 & GX200	15
Piston - GX140, GX160 & GX200	16
Camshaft - GX140, GX160 & GX200	17
Starter - GX140	18
Starter - GX160 & GX200 Old Style	19
Carburetor - GX140, GX160 & GX200	20-21
Fan Cover - GX140, GX160 & GX200	22
Air Filter - GX140, GX160 & GX200	23
Muffler - GX140, GX160 & GX200	24
Fuel Tank - GX140, GX160 & GX200	25
Flywheel - GX140, GX160 & GX200	26
Ignition - GX140, GX160 & GX200	27
1:2 Reduction - GX140, GX160 & GX200	28-29
Control - GX140, GX160 & GX200	30
Special Tools - GX140, GX160 & GX200	31
FPX Exclusive Heavy Duty Go-Kart Clutch Plates!	30
Advantages of new FPX clutch plates	31
K&N AIR FILTERS	32
OIL EXTRACTION & DISPENSING	33
FAX ORDER FORMS	34-36

Safety First

Proper service and repair procedures are vital to safe, reliable operation of Go-Karts and Bumper Boats as well as personal safety of those performing repairs. Refer to your Service Manual for servicing and repairing information. Always use safe and effective methods. The Service Manual contains many NOTES, CAUTIONS and WARNINGS which should be followed along with standard safety procedures to eliminate the possibility of personal injury or improper service which could be damaging to your equipment or compromise its safety.

It is important to note that repair procedures, techniques, tools and parts for servicing Go-Karts and Bumper Boats as well as the skill and experience of the individual performing work vary widely. It is not possible to anticipate all conceivable ways or conditions under which Go-Karts and Bumper Boats may be serviced or to provide cautions to all possible hazards that may result. Standard precautions should be used when handling toxic or flammable fluids, and safety goggles or other protection should be used during cutting, grinding, chiseling, prying or any other process that can cause material removal or projectiles. J&J recommends use of safety goggles or approved glasses during all servicing.

All information contained in this Parts Guide is based on the latest product information and prices available at time of printing. We reserve the right to make changes at any time without notice. No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of J&J Amusements, Inc. A Corporation of Oregon and FunParts Xpress. This includes text, figures and tables.

BEFORE SERVING

To eliminate unnecessary work, careful reading of the applicable section is recommended before starting to service a go-kart. . Photographs, diagrams, notes, cautions, warnings, and detailed descriptions have been included wherever necessary. Nevertheless, even a detailed account has limitations, a certain amount of basic knowledge is also required for successful work.

Especially note the following:

Dirt

Before removal and disassembly, clean the go-kart. Any dirt entering the engine or other parts will work as an abrasive and shorten the life. For the same reason, before installing a new part, clean off any dust or metal filings.

Tightening Sequence

Generally, when installing a part with several bolts, nuts or screws, start them all in their holes and tighten them to a snug fit. Then tighten them evenly in a cross pattern. This is to avoid distortion of the part and/or causing gas or oil leakage. Conversely when loosening the bolts, nuts or screws, first loosen all of them by about a quarter of turn and then remove them. Where there is a tightening sequence indication in this Service Manual, the bolts, nuts or screws must be tightened in the order and method indicated.

Torque

When torque values are given in this Service Manual, use them. Either too little or too much torque may lead to serious damage. Use a good quality, reliable torque wrench.

Force

Common sense should dictate how much force is necessary in assembly and disassembly. If a part seems especially difficult to remove or install, stop and examine what may be causing the problem. Whenever tapping is necessary, tap lightly using a wooden or plastic-faced mallet. Use an impact driver for screws (particularly for the removal of screws held by a locking agent) in order to avoid damaging the screw heads. It also may be necessary to apply heat to some parts held with locking compound.

Edges

Watch for sharp edges, especially during major engine disassembly and assembly. Protect your hands with gloves or a piece of thick cloth when lifting the engine or turning it over.

High-Flash Point Solvent

A high- flash point solvent is recommended to reduce fire danger. A commercial solvent commonly available in North America is Stoddard solvent (generic name). Always follow manufacturer and container directions regarding the use of any solvent.

Gasket, O-Ring

Do not reuse a gasket or O-ring once it has been in service. The mating surfaces around the gasket should be free of foreign matter and perfectly smooth to avoid oil or compression leaks.

Liquid Gasket, Non-Permanent Locking Agent

Follow manufacturer's directions for cleaning and preparing surfaces where these compounds will be used. Apply sparingly. Excessive amounts may block engine oil passages and cause serious damage. An example of a non-permanent locking agent commonly available in North America is Loctite® Lock'n Seal (Blue).

Press

A part installed using a press or driver, such as a wheel bearing, should first be coated with oil on its outer or inner circumference so that it will go into place smoothly.

Oil Seal and Grease Seal

Replace any oil or grease seals that were removed with new ones since removal generally damages seals. When pressing in a seal which has manufacturer's marks, press it in with the marks facing out. Seals should be pressed into place using a suitable driver, which contacts evenly with the side of the seal, until the face of the seal is even with the end of the hole. Always use assembly oil or grease on lip (sealing edge) of any seal prior to assembly.

Circlip, Retaining Ring

Replace any circlips and retaining rings that were removed with new ones, as removal weakens and deforms them. When installing circlips and retaining rings, take care to compress or expand them only enough to install them and no more.

Cotter Pin

Replace any cotter pins that were removed with new ones since removal deforms and breaks them.

Lubrication

Engine wear is generally at its maximum while the engine is warming up and before all rubbing surfaces have an adequate lubricative film. During assembly, oil or grease (whichever is more suitable) should be applied to any rubbing surface which has lost its lubricating film. Old grease and dirty oil should be cleaned off. Deteriorated grease has lost its lubricating quality and may contain abrasive foreign particles.

Do not use just any oil or grease. Some oils and greases in particular should be used only in certain applications and may be harmful if used in an application for which they are not intended. This manual makes reference to molybdenum disulfide grease (MoS₂) in the assembly of certain engine and chassis parts. Always check manufacturer recommendations before using such special lubricants.

Replacement Parts

When there is a replacement instruction, replace these parts with new ones every time they are removed. These replacement parts will be damaged or lose their original function once removed.

Inspection

When parts have been disassembled, visually inspect these parts for following conditions or other damage. If there is any doubt as to condition of them, replace them with new ones.

Abrasion	Crack	Hardening	Warp
Bent	Dent	Scratch	Wear
Color change	Deterioration	Seizure	

Specifications

Specification terms are defined as follows:

“Standards”: Show dimensions or performances which brand-new parts or systems have.

“Service Limits”: Indicate the usable limits. If measurement shows excessive wear or deteriorated performance, replace the damaged parts.

Factory Service Manuals available.



Fpx#	Description	Price
61Z5F00E3	Manual, Shop 61Z5F00E3 (GX270/340-240/390K1)UT2	\$50.00
61Z4H00E1	Manual, Shop 61Z4H00E1 (GX120/160/200 UT2-RT2)	\$49.00

General Order and Shipment Policy

J&J Amusements, Inc. appreciates our customers. We will do our best to provide quality parts and service. Your business is important to us so we want you to fully understand our policy guidelines. Remember they are only guidelines: questions, suggestions and even complaints are always welcome.

NEW ACCOUNTS: New accounts are welcome! Open account terms are available to customers upon credit approval. Contact us for a credit application. Please be sure to furnish accurate, complete, year round mailing and shipping addresses and phone numbers. Credit approval takes approximately 2 weeks.

OPEN ACCOUNT TERMS: Customers with approved credit applications are allowed net prices as long as payment is received within 30 days of invoice date. A late fee of 1 1/2% per month will be assessed to the balance on any past due invoice. In addition, if your account is 60 days past due can be placed on CREDIT HOLD UNTIL PAST DUE BALANCE IS RESOLVED.

VISA, MASTERCARD, AMERICAN EXPRESS: For your convenience we accept VISA, MasterCard and American Express. We never charge your credit card until we ship your order.

BANK WIRE: Please contact us for Bank Wiring instructions. E-mail: Accounting@jjamusements.com

ORDERING: It is important to order all parts by correct part number. This will speed your order and help eliminate errors. You may phone, fax or e-mail your orders.

Phone orders 1-800-854-3140 International orders call 1-503-304-8899

Fax orders 1-800-366-7505 International orders call 1-503-304-1899. To ensure accuracy, fax form in the back of this book must be filled out completely with customer number, bill to, ship to, phone number and shipping (ground, 2nd day, overnight, overnight Saturday, or truck line). Every line item must have the part number, quantity and description clearly printed.

E-Mail Orders: parts@funpartsexpress.com

Use our Online E-Mail Parts Order Form, e-mail directly to J&J: parts@funpartsexpress.com

HOURS: Business hours are 8:00am to 4:30pm Pacific Time Monday thru Friday. Fax and e-mail orders can be received 24 hours a day.

PRICES: J&J Amusements, Inc. makes every effort to offer competitive prices and to maintain pricing for the life of the annual catalog. In some cases, price adjustments must be made and J&J Amusements, Inc. reserves the right to change pricing without notice.

BACK ORDERS: Back orders are shipped automatically with the same terms as the original order. Back orders will be shipped ASAP unless you elect to batch all back orders for periodic shipment or cancel all back orders. You must notify J&J Amusements, Inc. in writing if you wish to utilize either of the above options.

SHIPPING: We will endeavor to ship all orders same day and do our best to follow your special shipping instructions. We normally ship orders under 150 lbs. by UPS. Larger orders will be shipped by freight lines.

COD SHIPMENT: Large orders shipped COD will be divided into two or more cartons. The total

COD amount will be pro-rated by value of each carton's contents. COD orders of \$1,000 or more are shipped cashiers check only. COD charge per box is \$9.00.

REFUSED COD SHIPMENTS: Our FULL restocking fee plus freight both ways, will be charged to your next order if you refuse a COD shipment.

BAD CHECKS: Any account having a returned check (for any reason) will be placed on COD cash only. To avoid legal action, the check must be redeemed by a certified check or bank money order and all returned checks will be charged a \$25.00 fee. If legal action is necessary, the customer will be responsible for all charges incurred in collection.

URGENT PART ORDERS: UPO's should be submitted only when fastest service is required to provide individual customer satisfaction. UPO's are given highest priority handling by J&J Amusements, Inc. This order method should not be used for stocking purposes. All extra shipping and handling charges incurred will be charged to customer.

SHORTAGES: Must be reported at the time the package is opened - NO EXCEPTIONS. All orders are checked for accuracy after picking and are weighed to 1/10th of an ounce to give us three ways of checking.

HIDDEN DAMAGE: Must be reported at the time the package is opened - NO EXCEPTIONS. ALL BOXES AND PACKING MUST BE SAVED to receive credit for damages. We will pay shipping charges.

FREIGHT DAMAGE: If packages delivered by freight carrier arrive in broken or mutilated boxes or if shipments are incomplete, be sure the driver notes on your bill of lading. Claims against freight carriers are made by the recipient, not J&J Amusements, Inc..

RETURNED GOODS POLICY: A Return Merchandise Authorization (RMA#) is required for all returns. NO EXCEPTIONS. The RMA# must be displayed on exterior of return shipping carton. Only items authorized (listed) on RMA# may be returned. Obsolete and discontinued merchandise cannot be returned (current merchandise is that which appears in current annual catalog/price book). A 15% restocking fee will be charged on all returns, except for errors made by J&J Amusements, Inc. Freight will be paid by customer except for shipping errors caused by J&J Amusements, Inc. Returned merchandise must be in good resale condition, in original J&J Amusements, Inc. package (where applicable) and cannot be altered with customer labels, stickers, numbers etc.. Returned goods which do not have an RMA# will be refused.

WARRANTY RETURN POLICY: All warranty item returns must be authorized by the Warranty Department and have an assigned RMA# before any adjustment or credit will be given. The RMA# must appear next to the shipping label on all returned items for proper credit to be issued. All credits issued will be applied to future purchases

TAXES: Prices in this book do not include your state, local, or other applicable sales taxes or any other taxes that may be required. The purchaser is responsible for all tax associated with purchasing goods and must take all steps required to pay directly all taxes due.

DOUBLE CHECK ALL PART NUMBERS AND DESCRIPTIONS BEFORE PLACING ORDER

Please call or e-mail us at parts@funpartsxpress.com, Toll Free at 1-800-854-3140 or 1-503-304-8899 for assistance.

Ordering Information

To Place An Order:

J&J & FPX makes it easy to place your order anytime. Send us a fax, e-mail or give us a call. All orders receive immediate attention and ship straight to your facility.

If you fax your order, it's very important to order all parts by correct part number. This will speed your order and help eliminate errors. You may phone your order using our toll free number, 1-800-854-3140 or fax your order to 1-800-366-7505. For customers outside the US, call 503-304-8899 or fax 503-304-1899. E-Mail, our address is parts@funpartsexpress.com

****NOTE ON FAX ORDERS:** Fax forms in the back of this book must be filled out completely with customer number, bill to, ship to, phone number and shipping (ground, 2nd day, overnight, overnight Saturday). Every line item must have the part number, quantity and description.

Office Hours

Our offices are open to receive phone orders

Pacific	8:00am to 4:30pm
Mountain	9:00am to 5:30pm
Central	10:00am to 6:30pm
Eastern	11:00am to 7:30pm
Greenwich	4:00pm to 12:30am
Geneva	5:00pm to 1:30am
Buenos Aires	1:00pm to 9:30pm
Tokyo	1:00am to 9:30am
Sydney	2:00am to 10:30am

Return Policy

- **ABSOLUTELY NO RETURNS PERMITTED AFTER 30 DAYS**
- **RMA NUMBER REQUIRED FOR ALL RETURNS, ALL ITEMS RECEIVED WITHOUT RMA NUMBER DISPLAYED ON OUTSIDE OF PACKAGE WILL BE REFUSED**
- **NO RETURNS WITHOUT PRIOR AUTHORIZATION**

Ordering Procedures:

Follow these simple guidelines, whether you Call, Fax or E-mail.

When you call, please have:

1. Your customer number
 2. Item number and description
- Current Parts Manual for quick reference

When you fax:


1. List customer number, phone number, and proper bill to and shipping address.
2. List quantity, item number and description clearly
3. Note shipping method desired

When you e-mail:

1. List customer number and proper bill to and shipping address.
2. List quantity, item number and descriptions clearly
3. Note shipping method desired
4. List return e-mail address and phone number


Orders will ship UPS Regular if not stated otherwise.

Cylinder Head - GX140, GX160 & GX200



Ref #	FPX #	Part number	Description	Price
01	18998480	12205-ZE1-315	12205-ZE1-315 Guide, Exhaust Valve	\$8.65
02	41658740	12204-ZE1-306	12204-ZE1-306 Guide, Valve (Oversized)	\$8.65
03a	7538903	12210-ZL0-405	12210-ZL0-405 Cylinder Head Comp.(GX200) Serial End:1001673	\$215.61
03b	8303315	12210-ZH8-415	12210-ZH8-415 Head Comp, Cylinder (GX160)	\$206.92
03c	19505750	122A0-ZE1-020	122A0-ZE1-020 Head Comp. Cylinder (GX140)	\$135.00
**	15401940	12211-ZE1-000	12211-ZE1-000 Liner, Port (GX140)	\$4.77
04	23997800	12216-ZE5-300	12216-ZE5-300 Clip, Valve Guide	\$1.30
05a	47427630	12251-ZL0-003	12251-ZL0-003 Gasket Cylinder Head (GX200)	\$19.51
05b	36833800	12251-ZF1-800	12251-ZF1-801 Gasket, Cylinder Head (GX160)	\$16.02
05c	42108600	12251-ZE1-800	12251-ZE1-800 Gasket, Cylinder Head (GX140)	\$8.79
06	6854921	12310-ZE1-020	12310-ZE1-020 Head cover, complete	\$14.52
07	14265270	12391-ZE1-000	12391-ZE1-000 Gasket, Head Cover	\$4.04
08a	36834970	15721-ZH8-000	15721-ZH8-000 Tube, Breather (GX160)	\$3.58
08b	15407720	15721-ZE1-010	15721-ZE1-010 Tube, Breather (GX140)	\$3.53
09a	06368450	90013-883-000	90013-883-000 Bolt, Flange 6x12	\$1.58
09b	15410020	90016-ZE1-000	90016-ZE1-000 Bolt Flange 6x13	\$2.34
10	45883230	90043-ZE1-020	90043-ZE1-020 Bolt Stud 6x109	\$4.21
11	14310970	90047-ZE1-000	90047-ZE1-000 Bolt, Stud 8x34	\$3.43
12	00582060	94301-10160	94301-10160 Pin, Dowel 10x16	\$1.43
13	00737000	95002-80000	95002-80000 Clip, Tube C12	\$0.44
14	14365910	95723-08060-00	95723-08060-00 Bolt, Flange 8x60	\$1.46
15	16724430	98079-55846	Spark Plug, (BPR5ES) Hot 98079-55846	\$3.53
**	14411120	98079-56846	Spark Plug, (BPR6ES) 98079-56846	\$3.26

Cylinder - GX140 ,GX160 & GX200




Replace that worn out engine easily with a complete long block assembly from FPX.



Fpx#	Description	Price
1-61-0001LONG	Longblock, GX160 Complete (See Notes)	\$459.00
1-61-0005LONG	Longblock, GX200 Complete (See Notes)	\$459.00


Ref #	FPX #	Honda #	Description	Price
01a	7544117	12000-ZL0-416	12000-ZOV-405 Cylinder Assy.(GX200)	\$533.90
01b	7458599	12000-ZH8-425	12000-ZH8-425 Cylinder Assy. GX160	\$331.42
01c	14264360	120A0-ZE1-000	120A0-ZE1-000 Barrel Assembly, Cylinder (GX140)	\$287.71
03	33136570	06165-ZE1-000	06165-ZE1-000 Governor Kit (GX140,160)	\$13.66
*	47430760	16506-ZL0-000	16506-ZL0-000 Governor Assy (GX200)	\$24.69
*	24142250	16510-ZE1-000	16510-ZE1-000 Governor Assembly (GX140,160)	\$18.85
*	14272280	16511-ZE1-000	16511-ZE1-000 Weight, Governor	\$2.99
*	24142250	16510-ZE1-000	16510-ZE1-000 Governor Assembly (GX140,160)	\$18.85
*	14272440	16513-ZE1-000	16513-ZE1-000 Pin, Governor Weight	\$1.67
04	14272510	16531-ZE1-000	16531-ZE1-000 Slider, Governor	\$2.94
05	14272770	16541-ZE1-000	16541-ZE1-000 Shaft, Governor Arm	\$9.84
07	14312460	90131-ZE1-000	90131-ZE1-000 Bolt, Drain Plug	\$2.64
08	03459001	94101-06800	94101-06800 Washer, Plain, 6MM	\$0.35
09	14365830	90601-ZE1-000	90601-ZE1-000 Washer, Drain Plug	\$1.09
10	24566970	90602-ZE1-000	90602-ZE1-000 Clip, Governor Holder	\$1.30
11a	36842480	91001-ZF1-003	91001-ZF1-003 Bearing, Radial Ball (GX160)	\$20.23
11b	03680760	96100-62050-10	96100-62050-10 Bearing, Radial Ball (6205)	\$19.59
12	7352453	90601-ZE1-000	91201-Z0T-801 Seal, Oil 25x41.25x6	\$8.54
12a	10007	High Temp	Seal, GX Reduc.Input Sft High Heat Viton 5-6.5HP (Rpl 063693)	\$9.99
12	7352453	91201-Z0T-801	91201-Z0T-801 Seal, Oil 25x41.25x6	\$8.54
15	03459001	94101-06800	94101-06800 Washer, Plain, 6MM	\$0.35
16	01155270	94251-08000	94251-08000 Pin, Lock 8mm	\$0.78

Crank Case Cover - GX140, GX160 & GX200




Ref #	FPX #	Part number	Description	Price
02	7544026	11300-ZE1-020	11300-ZE1-020 Cover Assy Crank (S-Type)	\$110.27
04	47231440	11381-ZH8-801	11381-ZH8-801 Gasket, Case Cover (Non-Asbestos)	\$6.07
05	45001460	15600-ZE1-003	15600-ZE1-003 Cap, Oil Filler	\$5.25
06	44979210	15600-ZG4-003	15600-ZG4-003 Cap, Oil Filler	\$2.23
08	44979470	15625-ZE1-003	15625-ZE1-003 Gasket, Oil Filler Cap	\$3.30
10a	7352453	91201-Z0T-801	91201-Z0T-801 Seal, Oil 25x41.25x6	\$8.54
10b	10007	High Temp	Seal, GX Reduc.Input Sft High Heat Viton 5-6.5HP (Rpl 063693)	\$9.99
11	00693101	94301-08140	94301-08140 Pin, Dowel 8x14 (GX270)	\$1.38
12	27517250	95701-08032-00	95701-08032-00 Bolt, Flange 8x32	\$1.26
13	03680760	96100-62050-10	96100-62050-10 Bearing, Radial Ball (6205)	\$19.59
14	01336		Tool Wrench, Nub Style Oil Plug Remover	\$14.81
15	01337		Tool Wrench, Flat Style Oil Plug Remover	\$13.46
16	25744240	15640-730-010	15640-730-010 Pipe, Oil Filler	\$28.07
**	10015510	15650-730-000	15650-730-000 Gauge, Oil Level	\$8.79
**	02555880	94608-50000	94608-50000 O-Ring 23x2.8	\$1.02

Crankshaft - GX140, GX160 & GX200




Ref #	FPX #	Part number	Description	Price
01a	8121485	13310-ZL0-020	13310-ZL0-020 Crankshaft Comp. (S-Type) GX200	\$172.92
01b	14457660	11310-ZE1-000	13310-ZE1-000 Crankshaft Comp (S-Type)GX160	\$156.11
02	14267820	14311-ZE1-300	14311-ZE1-300 Gear, Timing	\$22.37
03	14272100	16505-ZE1-300	16505-ZE1-300 Gear, Governor Drive	\$15.46
04	14410620	90745-ZE1-600	90745-ZE1-600 Key 4.78x4.78x38	\$10.23

Piston - GX140, GX160 & GX200



Ref #	FPX #	Part number	Description	Price
01a	47427710	13010-ZL0-003	13010-ZL0-003 Ring Set (STD) (GX200)	\$40.90
	47427890	13011-ZL0-003	13011-ZL0-003 Ring Set (0.25)(GX200)	\$44.52
	47427970	13012-ZL0-003	13012-ZL0-003 Ring Set (0.50)(GX200)	\$38.25
	47428050	13013-ZL0-003	13013-ZL0-003 Ring Set (0.75)(GX200)	\$34.66
01B	30112850	13010-ZF1-023	13010-ZF1-023 Ring Set, Piston (STD)(GX160)	\$26.75
	30180250	13011-ZF1-023	13011-ZF1-023 Ring Set, Piston (0.25)(GX160)	\$35.25
	30180330	13012-ZF1-023	13012-ZF1-023 Ring Set, Piston (0.50)(GX160)	\$34.74
	30180580	13013-ZF1-023	13013-ZF1-023 Ring Set, Piston (0.75)(GX160)	\$28.69
01C	30178110	13010-ZE1-013	13010-ZE1-013 Ring Set, Piston (STD)(GX140)	\$25.17
	30178370	13011-ZE1-013	13011-ZE1-013 Ring Set, Piston (0.25)(GX140)	\$25.52
	30178520	13012-ZE1-013	13012-ZE1-013 Ring, Piston (0.50) (GX140)	\$28.28
	30178780	13013-ZE1-013	13012-ZE1-013 Ring, Piston (0.50) (GX140)	\$28.28
02A	6873533	13101-ZL0-010	13101-ZL0-010 Piston (STD) Serial End:1026116	\$39.13
	6858203	13102-ZL0-010	13102-ZL0-010 Piston (0.25)(GX200) Serial End:1026116	\$50.86
	47428470	13104-ZL0-000	13104-ZL0-000 Piston (0.75)(GX200)	\$39.60
02B	6837512	13101-ZH8-010	13101-ZH8-010 Piston, (STD)(GX160)	\$42.70
	6855035	13102-ZH8-010	13101-ZH8-010 Piston, (STD)(GX160)	\$42.70
	6855050	13103-ZH8-010	13103-ZH8-010 Piston, (0.50)(GX160)	\$34.07
	36834220	13104-ZH8-000	13104-ZH8-010 Piston, (0.75)(GX160)	\$35.62
02C	29813710	13101-ZE1-010	13101-ZE1-010 Piston, Std. (GX140)	\$30.21
	30987950	13102-ZE1-010	13102-ZE1-010 Piston (0.25)(GX140)	\$31.79
	30883900	13103-ZE1-010	13103-ZE1-010 Piston (0.50)(GX140)	\$28.09
	31011690	13104-ZE1-010	13104-ZE1-010 Piston (0.75)(GX140)	\$28.09
03	14265840	13111-ZE1-000	13111-ZE1-000 Pin, Piston	\$9.66
04	7351521	13200-Z0T-800	13200-Z0T-800 Rod Assy., Connecting	\$30.75
**	14413440	132A0-ZE1-000	132A0-ZE1-000 Rod Assembly, Connecting (.25) Under	\$74.74
05	14310550	90001-ZE1-000	90001-ZE1-000 Bolt, Connecting Rod	\$2.56
06	25391200	90550-ZE1-000	90551-ZE1-000 Clip, Piston Pin 18mm	\$1.09

Camshaft - GX140, GX160 & GX200



Ref #	FPX #	Part number	Description	Price
01	6854335	12209-ZH8-003	12209-ZH8-003 Seal, Valve Stem (GX200)	\$7.12
02a	47429200	14100-ZL0-000	14100-ZL0-000 Camshaft Assembly (GX200)	\$85.21
02b	19296110	14100-ZE1-812	14100-ZE1-812 Camshaft Assembly (GX160)	\$105.97
04	33526550	14410-ZE1-010	14410-ZE1-010 Rod, Push	\$6.56
06	14268240	14431-ZE1-000	14431-ZE1-000 Arm, Valve Rocker	\$5.56
07	43009010	14451-ZE1-013	14451-ZE1-013 Pivot, Rocker Arm	\$5.48
08	14269070	14568-ZE1-000	14568-ZE1-000 Spring, Weight Return	\$2.58
09a	36834550	14711-ZF1-000	14711-ZF1-000 Valve, Intake (GX200,GX160)	\$15.47
09b	14269310	14711-ZE1-000	14711-ZE1-000 Valve, Intake (GX140)	\$12.53
010a	36834630	14721-ZF1-000	14721-ZF1-000 Valve, Exhaust	\$25.56
010b	1899939	14721-ZE1-810	14721-ZE1-810 Valve, Exhaust GX140	\$29.78
011a	47429460	14731-ZL0-000	14731-ZL0-000 Lifter, Valve (GX200)	\$13.66
011b	51813830	14441-ZE1-010	14441-ZE1-010 Lifter, Valve	\$10.49
12a	36834890	14751-ZF1-000	14751-ZF1-000 Spring, Valve	\$3.90
12b	14269720	14751-ZE1-000	14751-ZE1-000 Spring, Valve (GX140)	\$2.72
13	14269800	14771-ZE1-000	14771-ZE1-000 Retainer, Intake Valve Spring	\$6.85
14	14269980	14773-ZE1-000	14773-ZE1-000 Retainer, Exhaust Valve Spring	\$7.06
15	14270040	14781-ZE1-000	14781-ZE1-000 Rotator, Valve	\$4.59
16	18999470	14791-ZE1-010	14791-ZE1-010 Plate, Push Rod Guide	\$2.82
17	17569641	90012-ZE0-010	90012-ZE0-010 Bolt, Pivot	\$6.45
18	14312870	90206-ZE1-000	90206-ZE1-000 Nut, Pivot Adjusting	\$3.28


E-MAIL: parts@funpartsexpress.com Internet: <http://www.funpartsexpress.com>

TOLL FREE PHONE ORDERING: 1-800-854-3140

INTERNATIONAL PHONE ORDERING: 1-503-304-8899


Prices subject to change without notice.

Starter - GX140



Ref #	FPX #	Part number	Description	Price
01	7625536	28400-ZE1-003ZA	28400-ZE1-003ZF Starter Assembly, Recoil	\$102.26
03	33498830	28410-ZE1-003ZA	28410-ZE1-003ZA Case, Recoil Stater	\$60.86
05	14285980	28420-ZE1-003	28420-ZE1-003 Pulley, Recoil Start (GX140)	\$27.30
06	14286060	28422-ZE1-003	28422-ZE1-003 Ratchet, Starter (GX140)	\$4.38
07	14286140	28423-ZE1-003	28423-ZE1-003 Pin, Start Ratchet (GX140)	\$5.65
08	14286220	28431-ZE1-003	28431-ZE1-003 Plate, Friction (GX140)	\$4.97
09	14286300	28441-ZE1-003	28441-ZE1-003 Spring, Friction (GX140)	\$4.28
10	14286480	28442-ZE1-003	28442-ZE1-003 Spring, Recoil Start (GX140)	\$21.35
11	14286550	28443-ZE1-003	28443-ZE1-003 Guide, Ratchet (GX140)	\$9.97
12	14286630	28445-ZE1-003	28445-ZE1-003 Case, Recoil Starter Spring (GX140)	\$8.62
13	14286710	28446-ZE1-003	28446-ZE1-003 Washer, Starter (GX140)	\$3.30
14	14286890	28447-ZE1-003	28447-ZE1-003 Shaft, Sub (GX140)	\$3.88
15	14286970	28448-ZE1-003	28448-ZE1-003 NUT (GX140)	\$2.81
16	14287470	28461-ZE1-003	28461-ZE1-003 Knob, Recoil Start (GX140)	\$8.45
17	52688180		Rope, Starter 200' Roll #5.5(Go Karts Only)	\$26.27
18	24108760	95701-06010-00	95701-06010-00 Bolt Flange 6x10	\$0.86

Starter - GX160 & GX200 - Old Style



Ref #	FPX #	Part number	Description	Price
01	7346810	28400-ZH8-013YA	28400-ZH8-013YA Starter Assy. *R280* Use up to SN 1937022	\$111.18
01a	7546781	28400-ZH8-023YA	28400-Z0T-00ZB Starter Assy. *R280* Use from SN 1937023	\$90.00
02	7352057	28405-ZL0-000ZC	28405-ZL0-000ZC Spacer, *R280R*	\$18.74
03	7346836	28410-ZH8-003YA	28410-ZH8-003YA Case, Recoil Starter (GX160) R280	\$91.15
05	41930660	28410-ZH8-003YA	28410-ZH8-003YA Case, Recoil Starter (GX160) R280	\$91.15
06	41930740	28422-ZH8-013	28422-ZH8-013 Ratchet, Starter (GX160)	\$6.62
07	36838930	28433-ZH8-003	28433-ZH8-003 Guide, Ratchet (GX160)	\$9.66
08	36839010	28441-ZH8-003	28441-ZH8-003 Clip (GX160)	\$4.61
09	36839190	28442-ZH8-003	28442-ZH8-003 Spring, Recoil Start (GX160)	\$19.45
10	36839270	28443-ZH8-003	28443-ZH8-003 Spring, Return (GX160)	\$4.61
11	9346461	8461-ZH8-013	28461-ZH8-013 Knob, Recoil Starter (GX160)	\$6.36
12	52688180		Rope, Starter 200' Roll #5.5(Go Karts Only)	\$26.27
**	8021503	87521-ZH8-505	87521-ZH8-505 Emblem (Internal) (GX160) Not Shown	\$7.25
14	36842220	90003-ZH8-003	90003-ZH8-003 Screw, Setting (GX160)	\$5.11
15a	24109000	95701-06018-00	95701-06018-00 Bolt, Flange (6x18)	\$0.97
15b	25813530	95701-06008-00	95701-06008-00 Bolt, Flange 6x8	\$2.08


E-MAIL: parts@funpartsexpress.com Internet: <http://www.funpartsexpress.com>

TOLL FREE PHONE ORDERING: 1-800-854-3140

INTERNATIONAL PHONE ORDERING: 1-503-304-8899


Prices subject to change without notice.

Starter - GX160, GX 200 metal ratchet style



Ref #	FPX #	Honda #	Description	Price
001	7546781	28400-Z0T-00ZB	28400-Z0T-00ZB Starter Assy. *R280* Use from SN 1937023	\$90.00
002	7346836		28410-ZH8-003YA Case, Recoil Starter (GX160) R280	\$91.15
004	7611973	28422-ZH8-801	28422-ZH8-801 Ratchet Starter Metal	\$4.67
005	28431-ZH8-801	28431-ZH8-801	28431-ZH8-801 Plate, Friction Starter GX160	\$3.44
007	36788850	28433-ZH8-000	28441-ZE2-W01 Spring, Friction	\$4.55
008	36839190	28442-ZH8-003	28442-ZH8-003 Spring, Recoil Start (GX160)	\$19.45
009	28443-ZH8-003		28443-ZH8-003 Spring, Return (GX160)	\$4.61
010	9346461	28461-ZH8-013	28461-ZH8-013 Knob, Recoil Starter (GX160)	\$6.36
011	52688180		Rope, Starter 200' Roll #5.5(Go Karts Only)	\$26.27
013	90008-ZE2-003	90008-ZE2-003	90008-ZE2-003 Bolt, Flange 6x10	\$1.40


Fan Cover - GX140, GX160 & GX200



29

30


28



**BRACKET, 90 DEG. STOP SWITCH
(MOUNTS TO BACK OF ENGINE)**

Ref #	FPX #	Honda #	Description	Price
02a	7352008	19610-ZL0-000ZJ	19610-ZL0-000ZJ Cover, Fan (GX200) *R280*	\$15.95
02b	7351950	19610-ZE1-000ZP	19610-ZE1-010ZP Cover Comp., Fan *R8* Serial E:1120542	\$65.29
04a	36837600	19612-ZH8-010	19612-ZH8-000 Plate, Side (GX200)	\$6.89
04b	5891536	19612-ZH8-812	19612-ZH8-812 Plate, Side (GX160)	\$7.43
05	36837860	19612-ZH8-830	19612-ZH8-830 Plate, Side (Alert & Lamp)	\$6.72
06	5891544	19613-ZE1-010	19613-ZE1-010 Clamp, Cord	\$1.34
08a	36838020	19630-ZH8-000	19630-ZH8-000 Shroud Comp. (GX160)	\$12.45
08b	14281840	19631-ZE1-000	19631-ZE1-000 Shroud Comp. (GX140)	\$12.33
09	41930820	32197-ZH8-003	32197-ZH8-003 Sub Harness	\$8.18
12	27878690	36100-ZE1-015	36100-ZE1-015 Switch Assembly, Engine Stop "short single lead"	\$16.28
13	36840320	36101-ZE1-101	36101-ZE1-010 Wire, Stop Switch 370mm (GX160,240,270)	\$8.60
**	36842140	87530-ZH8-810	87530-ZH8-810 Label, Specification (External)	\$3.04
15	06368450	90013-883-000	90013-883-000 Bolt, Flange 6x12	\$1.58
16	06715520	90022-888-010	90022-888-010 Bolt, Flange 6x20	\$2.26
28	01073		Meter, Tiny Tach (Hour & RPM)	\$49.00
29	010732		Meter, Analog Hour Only J&J	\$27.99
30	010692		Bracket, Stop Switch & Meter Mount	\$11.22


Carburetor - GX140, GX160 & GX200



Carburetor - GX140, GX160 & GX200


Ref #	FPX #	Part number	Description	Price
01	34771710	16010-ZE1-812	16010-ZE1-812 Gasket Set (GX160)	\$14.93
02	14414760	16011-ZE0-005	16011-ZE0-005 Valve Seat, Float(AH,H)	\$21.32
03	14414920	16013-ZE0-005	16013-ZE0-005 Float Set	\$20.44
04	24642870	16015-ZE1-811	16015-ZE1-811 Chamber Set, Float	\$26.34
05	42198790	16016-ZH7-W01	16016-ZH7-W01 Screw Set	\$16.07
**	14415000	16016-ZE0-005	16016-ZE0-005 Screw Set, Pilot	\$11.54
06	16721870	16024-ZE1-811	16024-ZE1-811 Screw Set, Drain	\$10.47
07	8866253	16028-ZK7-S91	16028-ZK7-S91 Screw Set	\$9.51
10	14415260	16044-ZE0-005	16044-ZE0-005 Choke Set	\$28.48
11a	51481010	16100-ZL0-W51	16100-ZL0-W51 Carburetor (BE64B) (GX200) (Stamp:BE64)	\$83.19
11b	51837280	16100-ZH8-822	16100-ZH8-822 Carburetor Assy, GX160 (Stamp: BE65)	\$71.15
11c	35217540	16100-ZE1-825	16100-ZE1-825 Carburetor Assembly, GX140	\$77.46
12	14415590	16124-ZE0-005	16124-ZE0-005 Screw, Throttle Stop	\$12.03
13a	47430500	16166-ZL0-000	16166-ZL0-000 Nozzle, Main (GX200)	\$23.30
13b	42295630	16166-ZH8-W50	16166-ZH8-W50 Nozzle, Main (GX160)	\$16.70
13c	14415750	16166-ZE1-005	16166-ZE1-005 Nozzle, Main (GX140)	\$19.22
14	00056520	16173-001-004	16173-001-004 Packing, Fuel Strainer Cup	\$5.59
15a	47430680	16211-ZL0-000	16211-ZL0-000 Insulator, Carburetor (GX200)	\$16.36
15b	14271370	16211-ZE1-000	16211-ZE1-000 Insulator, Carburetor	\$17.41
16a	36835470	16212-ZH8-800	16212-ZH8-800 Gasket, Insulator (GX160)	\$2.56
16b	45373530	16223-ZE1-800	16223-ZE1-800 Packing Insulator (GX140)	\$2.28
17	25340550	16220-ZE1-020	16220-ZE1-020 Spacer Comp., Carburetor	\$6.43
18	47252890	16221-ZH8-801	16221-ZH8-801 Gasket, Carburetor Mounting	\$1.26
21	14401140	16610-ZE1-000	16610-ZE1-000 Lever Comp., Choke (Std)	\$8.17
25	51673580	16953-ZE1-406	16953-ZE1-406 Lever, Valve	\$9.41
26	51481350	16954-ZE1-812	16954-ZE1-812 Lever, Valve	\$2.57
27	18078090	16956-ZE1-811	16956-ZE1-811 Spring, Cock Lever	\$2.90
28	34407080	16957-ZE1-812	16957-ZE1-812 Packing, Fuel Cock	\$3.14
29	14415830	16967-ZE0-811	16967-ZE0-811 Cup, Fuel Strainer	\$17.76
31	04205050	93500-03008-0G	93500-03008-0G Screw, Pan 3x8	\$0.61
34	14415910	94305-20122	94305-20122 Pin, Spring 2x12	\$2.32
35a	43133750	99101-ZH7-0650	99101-ZH7-0650 Jet, Main #65	\$8.02
	42138230	99101-ZH7-0680	99101-ZH7-0680 Jet, Main #68	\$7.47
	42138310	99101-ZH7-0700	99101-ZH7-0700 Jet, Main #70	\$6.91
	42125280	99101-ZH7-0720	99101-ZH7-0720 Jet, Main #72 (STD)	\$6.83
35b	06354820	99101-124-0620	99101-124-0620 Jet Main #62 (GX140)	\$6.58
	06361260	99101-124-0650	99101-124-0650 Jet Main #65 (GX140)	\$5.38
	06361340	99101-124-0680	99101-124-0680 Jet Main #68 (GX140)	\$6.01
36a	20604650	99204-ZA0-0450	99204-ZA0-0450 Jet Set, Pilot (#45)	\$17.43
	14416090	99204-ZE0-0350	99204-ZE0-0350 Jet Set, Pilot #35	\$17.43

Muffler - GX140, GX160 & GX200



Ref #	FPX #	Honda #	Description	Price
1	2577419	17233-896-701	17233-896-701 Collar, A/Cleaner Housing	\$3.53
2a	36837110	18310-ZH8-810	18310-ZH8-810 Muffler Comp. (GX160)	\$84.66
2b	25741350	18310-ZE1-821	18310-ZE1-821 Muffler Comp, Silent (GX160)	\$100.47
2c	36837030	18310-ZF1-000	18310-ZF1-000 Muffler Comp. Std. (GX140)	\$65.90
2d	4743100	18310-ZL0-000	18310-ZL0-000 Muffler Comp. Silent GX200	\$99.54
3	15408300	18315-ZE1-000	18315-ZE1-000 Stay, Muffler (GX160)	\$12.98
4a	46448110	18320-ZF1-H01	18320-ZF1-H01 Protector, Muffler Std.	\$32.45
4b	9374331	18320-ZF1-H52	18320-ZF1-H52 Protector, Muffler (Silent)	\$33.53
5	34407240	18340-ZE1-010	18340-ZE1-010 Cap, Muffler (GX160)	\$15.97
6a	14277800	18355-ZE1-000	18355-ZE1-000 Arrester, Spark	\$10.88
6b	4743126	18355-ZL0-000	18355-ZL0-000 Arrester, Spark GX200	\$22.39
7	4743134	18361-ZL0-000	18361-ZL0-000 Netting, Wire Flange GX200	\$15.33
8a	36837450	18381-ZH8-800	18381-ZH8-801 Gasket, Muffler (GX160)	\$5.56
8b	40065650	18381-ZE1-800	18381-ZE1-800 Gasket, Muffler (GX140)	\$4.44
**	34407320	18522-ZE1-000	18522-ZE1-000 Guide, Muffler (GX200)	\$12.92
9	4787131	18433-ZH8-W40	18433-ZH8-W40 Cover, Muffler GX120/160/200	\$16.33
10	4787172	18434-ZH8-W40	18434-ZH8-W40 Cover, RR Muffler GX120/160/200	\$10.88
11	8751687	18436-ZF6-W400	18436-ZF6-W400 Base, Muffler Cover	\$9.33
12	4787198	18466-ZH8-W40	18466-ZH8-W40 Spacer	\$5.69
13	15410020	90016-ZE1-000	90016-ZE1-000 Bolt Flange 6x13	\$2.34
14	14311050	90050-ZE1-000	90050-ZE1-000 Screw, Tapping 5x8	\$1.56
15	14311050	90050-ZE1-000	90050-ZE1-000 Screw, Tapping 5x8	\$1.56
16	4787206	90050-ZH8-W40	90050-ZH8-W40 Screw, Tap (5x25)	\$2.11
17	52870320	90002-ZG0-003	90002-ZG0-003 Screw, Tapping 4x8	\$1.38
18	14311210	90055-ZE1-000	90055-ZE1-000 Screw, Tapping 4x6	\$0.91
19	4787214	90302-KF9-900	90302-KF9-900 NUT, HEX. (5MM)	\$3.38
20	1188614	93891-06020-07	93891-06020-07 SCREW-WASHER (6X20)	\$0.93
21	01673380	94001-08000-0S	94001-08000-0S Nut, Hex 8mm	\$0.68
22	0692491	94103-05700	94103-05700 WASHER, PLAIN (5MM)	\$0.59
23	21057990	95701-06012-00	95701-06012-00 Bolt, Flange 6x12	\$0.59


Control - GX140, GX160 & GX200



ZK

Ref #	FPX #	Honda #	Description	Price
01	61477550	16500-ZH8-823	16500-ZH8-823 Control Assy.	\$32.91
02a	47430840	16551-ZL0-000	16551-ZL0-000 Arm, Governor (Pre UT2 GX160/200) See Notes	\$13.66
02b	19506090	16551-ZE0-010	16551-ZE0-010 Arm, Governor	\$11.99
03	14273190	16555-ZE1-000	16555-ZE1-000 Rod, Governor (Pre UT2 GX160/200) See Notes	\$3.53
04a	47430920	16561-ZL0-000	16561-ZL0-000 Spring, Governor (Pre UT2 GX200)	\$4.42
04b	19506170	16561-ZE1-020	16561-ZE1-020 Spring, Governor	\$4.10
05	19506250	16562-ZE1-020	16562-ZE1-020 Spring, Throttle Return (Pre UT2 GX160/200)	\$2.94
06	6145338	16571-ZH8-020	16571-ZH8-020 Lever, Control(Pre UT2 GX160/200) See notes	\$10.18
**	36835960MOD		Lever, Custom GX160 & GX200 Throttle	\$14.59
07	14273840	16574-ZE1-000	16574-ZE1-000 Spring, Lever	\$3.04
08	36836040	16575-ZH8-000	16575-ZH8-000 Washer, Control Lever	\$3.86
09	08004660	16576-891-000	16576-891-000 Holder, Cable	\$3.56
10	14274000	16578-ZE1-000	16578-ZE1-000 Spacer, Control Lever	\$4.07
11a	61453460	16580-ZH8-813	16580-ZH8-813 Base Complete, Control	\$16.02
11b	6356760	16580-ZH8-030	16580-ZH8-030 Base Complete, Control (Pre UT2)	\$16.36
12	06364310	16584-883-300	16584-883-300 Spring, Control Adjusting	\$3.77
13	14457740	16592-ZE1-810	16592-ZE1-810 Spring, Cable Return	\$1.67
15	06368450	90013-883-000	90013-883-000 Bolt, Flange 6x12	\$1.58
16	24186710	90015-ZE5-010	90015-ZE5-010 Bolt, Governor Arm	\$2.41
18	14101820	90114-SA0-000	90114-SA0-000 Nut, Self Locking 6mm	\$3.43
19a	01455570	93500-05016-0A	93500-05016-0A Screw, Pan 5x16	\$0.61
19b	08215120	93893-05016-00	93893-05016-00 Screw-Washer, 5x16	\$0.82
20a	03747020	93500-05025-0H	93500-05025-0H Screw, Pan (5x25)	\$0.53
20b	03313890	93500-05020-0H	93500-05020-0H Screw Pan, 5x20	\$0.53
21	04716230	94050-06000	94050-06000 Nut, Flange 6mm	\$0.90

Air Filter/Housing - GX140, GX160 & GX200



Ref #	FPX #	Honda #	Description	Price
01	14271940	16271-ZE1-000	16271-ZE1-000 Packing, Elbow	\$3.62
02	7372444	17210-ZE1-517	17210-ZE1-517 Element Air Cleaner Filter (Dual) 5.5 or 6.5hp	\$16.16
03	7351885	17218-ZE1-507	17218-ZE1-507 Filter, Outer	\$6.97
04	14457900	17230-ZE1-820	17230-ZE1-820 Cover, Air Cleaner (Dual) 5.5 or 6.5hp	\$17.84
05	09997630	17232-891-000	17232-891-000 Grommet, Air Cleaner	\$4.75
06	47552600	17235-ZE1-831	17235-ZE1-831 Nose, Silencer	\$17.36
07	24556730	17238-ZE7-010	17238-ZE7-010 Collar, Air Cleaner	\$2.92
08	14275330	17239-ZE1-000	17239-ZE1-000 Collar B, Air Cleaner	\$3.43
09	24816530T	17410-ZE1-020	17410-ZE1-020 Elbow Comp., Air Cleaner 5.5 or 6.5hp (Take O	\$33.62
**	16967150	87528-ZE1-810	87528-ZE1-810 Mark, Choke	\$1.44
10a	17422380	90203-ZA0-800	90203-ZA0-800 Nut, Wing 6mm	\$3.16
10b	90325-044-000	90325-044-000	90325-044-000 Nut, Tool Box Setting UT2	\$2.89
11	04716230	94050-06000	94050-06000 Nut, Flange 6mm	\$0.90
12a	21058150	95701-06020-00	95701-06020-00 Bolt, Flange (6X20)	\$0.63
12b	24106940	93404-06020-08	93404-06020-08 Bolt & Washer 6x20	\$0.86
**	SP-2747		Filter, Air GX160, 200 K&N	\$39.98



K&N air cleaners from



K&N filters are washable and reusable for the life of your go-karts. Designed to fit under the stock Honda air cleaner cover.

Fpx#	Description	Price
SP-2748	Filter, Air GX240, 270 K&N	\$39.98
SP-2747	Filter, Air GX160, 200 K&N	\$39.98

K&N maintenance kits

K&N's Filter recharger kit is a six step maintenance system designed to recharge your K&N Filtercharger® Air Filter. Completely restores air flow efficiency so your Filtercharger® performs like new. Never needs replacement.

1 million mile warranty!



Fpx#	Description	Price
99-5000C	Filter, Air GX240, 270 K&N	\$39.98
99-0516C	Filter, Air GX160, 200 K&N	\$39.98
1-60-0084	Filter, K&N Filtercharger Oil (5 gal)	\$127.00
1-60-0083	Filter, K&N Filtercharger Oil (1 gal)	\$36.90
1-60-0086	Filter, K&N Filtercharger Cleaner (5 gal)	\$141.07
1-60-0085	Filter, K&N Filtercharger Cleaner (1 gal)	\$37.55
99-0621C	Filter, K&N Cleaner 32oz Squirt Bottle	\$14.65
7-E-3402	Filter, Air Round K&N Air Filter (Universal) 18hp Briggs	\$51.42

WHY OUTERWEARS PRE-FILTERS? Save your filters/ longer time between changes!



The need for a pre-filter is apparent every time you take on the elements of your favorite sport. Whether that sport is racing on dirt or asphalt, or just plain cruisin' in your bitchin' street rod, your air filter takes a beating! OUTERWEARS

PRE-FILTERS are just the answer!

OUTERWEARS are designed to keep the bigger particles of sand, dirt, clay and street debris from getting to, and clogging, the pleats of air filter elements. OUTERWEARS unique polyester material contains uniform micron openings. These openings allow air in, yet filter out the very elements that will eventually


clog an air filter, keeping engines running smooth and clean! Extensive dyno & flow bench testing has shown no critical loss in horsepower or air intake using OUTERWEARS PRE-FILTERS, JUST GREAT PROTECTION!!

OUTERWEARS PRE-FILTERS are used and recommended by professional engine builders and race teams worldwide, and will help prevent needless engine wear and tear which will be obvious upon engine analysis during rebuilding.

Fpx#	Description	Price
1-60-0100	Filter, Prefilter 5 - 9 hp (Water Repellent)(Outerwears)	\$11.99

Fuel Tank - GX140, GX160 & GX200 (Stock metal tank shown)

Stock metal tank may not comply with your State regulation. Check with your State before ordering.



Sealant for tank fittings.




SEALANT,
3-20-0007

Fpx#	Description	Price
3-20-0007	Loctite, Black Contact Adhesive 5 FL. OZ.(30540)	\$28.05

Ref #	FPX #	Honda #	Description	Price
03a	36836460	16854-ZH8-000	16854-ZH8-000 Rubber, Supporter	\$3.75
03b	14366740	16854-ZE1-000	16854-ZE1-000 Rubber, Supporter (GX140)	\$2.61
06	14274590	16955-ZE1-000	16955-ZE1-000 Joint, Fuel Tank	\$9.47
07	36836610T	17510-ZE1-020ZA	17510-ZE1-020ZA Tank Comp., Fuel (5.5,6.5 hp) (Take Off)	\$10.00
10	53448170	17620-ZH7-023	17620-ZH7-023 Cap, Fuel Filler	\$14.31
**	28926100	17620-402-010	17620-402-010 Fuel, Cap (GX140)	\$12.74
12	28205870	17631-ZH7-003	17631-329-003 Packing, Fuel Filler Cap	\$2.83
15	04747590	17672-880-000	17672-880-000 Fuel, Filter	\$10.21
16	07881090	17673-893-000	17673-893-000 Holder, Fuel Filler Cap	\$9.49
**	14310140	87522-ZE1-810	87522-ZE1-810 Mark, Caution (External)	\$2.19
**	7005820	87522-ZH9-010	87522-ZH9-010 Label, Caution	\$3.53
**	41933550	87532-ZH8-810	87532-ZH8-810 Mark, Oil Alert (External)	\$3.92
**	42120310	87586-ZH7-W00	87586-ZH7-W00 Label, Fuel Caution	\$2.48
**	14310480	89218-ZE1-000	89218-ZE1-000 Wrench, Spark Plug	\$1.10
17a	24012220	95701-06030-00	95701-06030-00 Bolt Flange 6 x 30 (GX200)	\$2.12
17b	21058310	95701-06025-00	95701-06025-00 Bolt, Flange 6x25	\$0.87
18	09498830	91353-671-003	91353-671-003 O-Ring, 14mm	\$2.11
20	04716230	97050-06000	94050-06000 Nut, Flange 6mm	\$0.90
21a	42603450	95001-45008-60M	95001-45008-60M Bulk Hose (4.5x8000)	\$58.63
21b	H-173		Hose, Fuel Line 3/16" (sold by the inch) Low Perm. EPA Compl	\$0.20
22	95002-40800-08	95002-02080	95002-40800-08 CLAMP, TUBE (D8)	\$1.64

What fuel cap do you have? Ask your FPX parts specialist.



Ref	Fpx#	Part number	Description	Price
1	1-60-0295		Gasket, FPX Antispill Fuel Cap (Ring Style)	\$1.15
1a	1-60-0306		Gasket, FPX Antispill Fuel Cap (Disk Style)(Viton)(Smooth)	\$3.99
1b	1-60-0176		Foam, Insert Fuel Cap FPX Anti Spill	\$0.99
2	1-60-A0180		Cap, FPX Anti-Spill Tip Over Cap	\$17.10
3	1-60-0111-T		Vent, Anti Spill Threaded 1/16 NPT-27	\$20.20
4	0108011B-CARB		Tank, Fuel Bare 2.2 Gal. "Black" CARB Compliant	\$159.00
5	010802B-CARB		Tank, Fuel Bare 3.3 Gal. "Black" CARB Compliant	\$179.00
6	10804B-CARB		Tank, Fuel Bare 3.5 Gal. "Black" CARB Compliant	\$180.00
7	010803B-CARB		Tank, Fuel Bare 4.75 Gal. "Black" CARB (Wide Chassis & 8,9h)	\$185.00
8	PMCD17-03		Coupler, Female 3/16 Fuel Shutoff (Used with PMC22-03 Ma	\$12.02
9	PMC22-03		Coupler, Male 3/16 Fuel hose (Use With PMCD17-03 Female)	\$4.44
10	T-452015008		Clamp, Fuel Line Spring (1/4") Black	\$0.31
11	H-173		Hose, Fuel Line 3/16" (sold by the inch) Low Perm. EPA Compl	\$0.20
12	09498830	91353-671-003	91353-671-003 O-Ring, 14mm	\$2.11
13	14274590	16955-ZE1-000	16955-ZE1-000 Joint, Fuel Tank	\$9.47
14	001840		Coupler, Quick Release Shutoff 1/4 npt Female	\$11.18
15	001841		Coupler, Quick Release 1/4" Barb Male(Polypropylene W/Viton)	\$5.28
16	32001		Hose, Fuel Line 1/4" (sold by the inch) Low Perm. EPA Compl	\$0.15
17	001840		Coupler, Quick Release Shutoff 1/4 npt Female	\$11.18
18	PMC2304V		Coupler, Quick Release 1/4" Barb Male(Viton)90degree Elbow	\$5.28
19	3-60-0003		O-Ring, Fits PMC22-03 Viton	\$0.15
20	32001		Hose, Fuel Line 1/4" (sold by the inch) Low Perm. EPA Compl	\$0.15
21	001772-G		Filter, Fuel 60 Micron Stainless Steel Screen, Clear, PET Ho	\$3.05
22	91424-Z5K-003	91424-Z5K-003	91424-Z5K-003 Tube, Fuel (4.5 x 210)	\$14.99
23	1-60-0177		Cap, Fuel Kelch Ratchet No Vent w/ Tether (CARB)	\$13.29
24	1-60-A0180		Cap, FPX Anti-Spill Tip Over Cap	\$17.10
25	1288		Clamp, Fuel Line Spring (3/16")	\$0.22

E-MAIL: parts@funpartsexpress.com Internet: <http://www.funpartsexpress.com>

TOLL FREE PHONE ORDERING: 1-800-854-3140

INTERNATIONAL PHONE ORDERING: 1-503-304-8899

Prices subject to change without notice. 27

Gas Caddy from



GAS CADDY FEATURES

Heavy gauge welded steel. Two-way rotary pump. Clear hose for observing flow. Sturdy wheels for easy moving. Gas Gauge. 30 gallons capacity. Epoxy powder coated. Note: Nozzle is not included with Gas Caddy

Tired of the 5 gallon gas can hassle? Concerned about safety? Insurance Inspector been bugging you?

The Gas Caddy can be your salvation. Heavy gauge epoxy powder coated, welded steel construction. The sturdy wheels allow easy roll around for up to 30 gallons of fuel. The clear hose enables you to observe flow and the reversible rotary pump allows you to dispense or remove fuel. The sight gauge keeps tabs on the amount of fuel remaining in the unit. Gas Caddy includes a ground wire clip.

Be Safe - Sleep Nights - Get a Gas Caddy.

Fpx#	Description	Price
00223	Gas Caddy, Complete 30 Gal.	\$565.00
3-60-0066	Pump, Gas Caddy (Blackmer) Optional for Gas Caddy One Way Fl	\$209.59
c200	Pump, Gas Caddy	\$202.00

SLIDING VANE HAND PUMP

Sliding Vane Hand pump model PA 210A.. This is a type of sliding vane pump. This is a cast iron pump that is intended primarily for the transfer of fuel oil, lubricating oil, gasoline and other non-corrosive liquids.

This HD sliding vane hand pumps provide a safe, convenient method of dispensing or transferring non-corrosive liquids from drums, barrels, tanks or vats. They are designed for easy, efficient operation in handling a wide range of liquids in industrial, construction and agricultural applications.

Rotary hand pump features:

- Positive displacement
- Self priming design
- Low friction, chemically inert vanes
- Rugged, durable cast iron head/cylinder
- Handles Class I and Class II flammable and combustible liquids, FM approved.

Oil change kits from



1-60-A0082-R



#001010
#001012
#001014
#1-60-0109

Change oil in the pits! Change oil in the whole fleet in 30 minutes! Protect your engines!

Save time and eliminate the hassles of changing oil in you go-kart engines. These oil drain kits replace the drain

plugs on the motor case and clutch. Just use the quick connector to attach an oil extractor and/or oil dispenser and viola, your oil is changed and your investment is protected for another oil cycle. Complete kits, #1-60-A0082-R & 1-60-A0083-R or replacements hoses available.

Fpx#	Description	Price
001010	Drain, Engine Oil-DrainZit (5.0, 5.5, 6.5 HP Engine Only)	\$18.99
001012	Drain, Engine Oil-DrainZit (8.0, & 9.0 Only & Clutch ALL)	\$18.99
001014	Drain, Engine Oil-DrainZit 14mm	\$15.11
1-60-0109	Drain, Engine Oil-DrainZit (13hp V-Twin 20mm)	\$17.52
001010X	Drain, Engine Oil-Drain 10mm 6" with 1/8 NPT	\$18.99
001012X	Drain, Engine Oil-Drain 12mm 6" with 1/8 NPT	\$18.99
3-50-0005	Fitting, Oil Hydraulic Male Steel 1/8"npt	\$10.94
1-60-A0082-R	Oil Drain Kit, Engine & Clutch (160, 200) 10&12mm fittings	\$52.50
1-60-A0083-R	Oil Drain Kit, Engine & Clutch (240, 270) 12 & 12mm fittings	\$53.00

Manual drain,
cap only.

BEST DEAL!

Oil Extractor
FPX - Electric operated.
#1-60-0130



Oil Extractor & Oil Change Kits will save you time and money!

Go-Karts largest expense:

TIRES, ENGINES & CLUTCHES.

Number one reason engines and clutches fail.

The lack of consistent oil changes.

Oil should be changed every 50 to 100 hours (Commercial/Go-Kart) use. That's twice a week for some FEC's

Do a complete oil change in less than a minute. No need to remove kart body or dipsticks. Change oil in 30 karts in 1 hour. Ask your mechanic how long it takes now. Will work on most kart.

Air Operated Oil Dispenser


Air operated oil dispenser makes oil changes fast and clean. This dispenser comes equipped with a 6.3 gallon tank and digital quart calibration valve meter with flex spout. Flow can be set at 1-26 quarts per minute with a typical accuracy of +/- 1.0% and repeatability of +/- 0.3%. Batteries are replaceable and retain calibration information in case of power loss. Shuts off at the tip and eliminates spillage. This unit is accurate down to .100 Qts. Accurate, Clean, Used at the factory!

Check out the new FPX Electric operated Oil Extractor:

- Industrial quality
- Operator can safely and quickly remove hot oil from any small engine.
- Waste oil is evacuated either through dipstick probes or Xpress Change Kit.
- No air needed to operate.
- Fast and accurate.

This Parts Book and all Parts Books are available on our internet site: <http://www.funpartsxpress.com>
Prices subject to change without notice.

Ignition Coil - GX140, GX160 & GX200



ZK00-E2000

FR.

Ref #	FPX #	Honda #	Description	Price
01	7988801T	30500-ZE1-073	30500-ZE1-063 Coil Assy, Ignition 5.5 or 6.5 hp	\$78.27
02	35268370	30700-ZE1-013	30700-ZE1-013 Cap Assembly, Noise Suppressor	\$17.16
03	25815440	31510-ZE1-711	31510-ZE1-711 Coil, Lamp (12V/50W)	\$119.69
05	14971970	31511-ZE1-000	31511-ZE1-000 Clamp, Cord	\$3.36
06	14972050	31512-ZE1-000	31512-ZE1-000 Grommet, Cord	\$2.19
*	36840320	36101-ZE1-010	36101-ZE1-010 Wire, Stop Switch 370mm (GX160,240,270)	\$8.60
10	06368520	90015-883-000	90015-883-000 Bolt, Flange 6x28	\$2.47
11	06368780	90019-883-000	90019-883-000 Bolt, Flange 5x10	\$2.24
12	07481110	90121-952-000	90121-952-000 Bolt, Flange 6x25	\$1.82


E-MAIL: parts@funpartsexpress.com Internet: <http://www.funpartsexpress.com>

TOLL FREE PHONE ORDERING: 1-800-854-3140

INTERNATIONAL PHONE ORDERING: 1-503-304-8899

Prices subject to change without notice. 31

1:2 Reduction - GX140, GX160 & GX200



Ref #	FPX #	Honda #	Description	Price
01	06359120	21510-883-621	21510-883-621 Case, Reduction	\$128.61
02	36838100	21591-ZH8-620	21591-ZH8-620 Packing, Reduction Case (GX160)	\$7.58
03	03970000	21610-822-611	21610-822-611 Cover, Reduction	\$202.31
04a	36838360	21691-ZH8-800	21691-ZH8-800 Gasket, Reduction Cover (GX160/200)	\$9.95
04b	43665550	21691-822-306	21691-822-306 Packing, Reduction Cover (GX140)	\$8.97
05	06359380	22121-883-620	22121-883-620 Center, Clutch (GX160 & GX200)	\$64.63
06	43699550	22201-822-306	22201-822-306 Disk, Clutch Friction	\$28.96
07	03970340	22311-822-610	22311-822-610 Plate, Clutch 1.6mm	\$16.55
08	03970420	22350-822-610	22350-822-610 Plate Comp., Clutch Pressure	\$22.47
09	03970590	22411-822-611	22411-822-611 Spring, Clutch Free	\$3.04
10	03970670	22421-822-610	22421-822-610 Holder, Clutch Spring	\$1.41
11	03970750	22521-822-610	22521-822-610 Weight, Clutch	\$3.19
12	06359530	22531-883-620	22531-883-620 Holder, Clutch Weight	\$42.61
13	03970910	22535-822-610	22535-822-610 Weight, Center Clutch	\$2.01
14	06359610	23120-883-620	23120-883-620 Sprocket Comp., Drive (GX160 & GX200)	\$101.61
15	41955660	23161-822-611	23161-822-611 Chain, Drive (RK428SH-36LE)	\$48.34
16	03971250	23711-822-610	23711-822-610 Shaft Comp., P.T.O. (28T)	\$98.00
17	06359870	25651-883-621	25651-883-621 Gauge, Oil Level	\$10.71
19	06360840	90403-883-620	90403-883-620 Washer, Thrust 20mm	\$14.20
20	06360920	90741-883-621	90741-883-621 Key, 5mm	\$5.48
21	10640390	90741-889-810	90741-889-810 Key, 7x7x33	\$7.20
22a	8566788	91202-Z2F-801	91202-Z2F-801 Oil Seal (30X50X7) Serial Start:1121567	\$11.30
22b	10006		Seal, GX Output Sft High Heat Viton (Replmt for 00651360)	\$9.00
23	00651850	91301-805-000	91301-805-000 O-Ring 26x2.7	\$3.84
24	43133590	92101-08035-0A	92101-08035-0A Bolt, Hex 8x35	\$0.90
25	00539750	92800-12000	SUP/00539750T 92800-12000 Bolt, Drain Plug 12mm	\$2.32
26	01718680	94109-12000	94109-12000 Washer, Drain Plug 12mm	\$0.65
27	00589820	94111-08000	94111-08000 Washer, Spring 8mm	\$0.64
28a	00817110	94301-08100	94301-08100 Pin, Dowel, 8x10 (GX160/200)	\$1.37
28b	04980550	90702-881-000	90702-881-000 Pin, Dowel 8x10 (GX140)	\$2.28
29	25338340	95701-06055-00	95701-06055-00 Bolt, Flange 6x55	\$1.76
30	26526260	95701-08022-00	95701-08022-00 Bolt, Flange 8x22	\$1.36
31	03680760	96100-62050-10	96100-62050-10 Bearing, Radial Ball (6205)	\$19.59
32	06361180	96100-62060-00	96100-62060-00 Bearing, Radial Ball (6206)	\$24.74
33	7556608	25620-805-612	25620-805-612 Cap, Reduction Oil	\$6.34




Years of on site confirmation, has proven that Cool-Tek is the most advanced product to enter our industry in decades. The great enemy of any clutch material is heat with sludge and foreign material a close second. To combat these wear elements J&J sought out the latest in high tech material and coupled this with a cooler running segmented design resulting in a truly revolutionary product. Words like "revolutionary" and "high tech" always get thrown around when new products come along but this time it just flat works.

We have tested the plates under extreme conditions, full load under full stall with the oil drained from the clutch housing. This drove outside case temperatures to in excess of 580 degrees F! Smoke pouring from all available orifices the system still worked. After short cool down the kart drove away with clutch functioning normally.

Under long term testing the clutch oil remained clean showing only slight discoloration even after extended periods of use. Sludge build up was minimal which should result in more run time between changes. You have seen nothing like it, nothing else works like it.

Innovation - it's what we do!



Segmented design

Close up



Fpx#	Description	Price
1-00-K0002CT	Clutch Kit, GX/G160-200 CoolTek Complete	\$87.95
03970420CF	Plate, Clutch Pressure Cool Tek	\$18.31
43699550CF	Plate, Clutch Friction Disc Cool Tek	\$18.31
06360840HD	Washer, Thrust 20mm (GX160 & GX200)	\$6.99
06359380HD	Center, Clutch (GX160 & GX200)	\$30.59
06359610HD	Sprocket Comp., Drive (GX160 & GX200)	\$50.99
03971250HD	Shaft Comp., P.T.O. (28T)	\$70.35
03970340HD2MM	Plate, Clutch Metal HD 2.0mm Smooth Type STD	\$8.25
03970670T	22421-822-610 Holder, Clutch Spring (TO)	\$1.41
03970590HD	Spring, Clutch Free "FPX"	\$1.15
10006	Seal, GX Output Sft High Heat Viton (Replmt for 00651360)	\$9.00
10007	Seal, GX Reduc.Input Sft High Heat Viton 5-6.5HP (Rpl 063693)	\$9.99

Kit includes:

- 2 friction plates
- 2 steel plates
- 1 pressure plate
- 1 Viton input seal
- 1 Viton output seal
- 2 case gasket
- 4 clutch springs
- 4 clutch spring holders

We also carry complete Honda® clutches

\$780 worth of parts for only \$299.00!

Complete new Honda® 2:1 go-kart clutch: Honda-assembled, ready to install and go!


Includes: Both caes, sprocket basket, clutch plates, clutch friction, center holder, chain, seals, thrust washer, shafts, keys, PTO and hardware!



Picture of Honda® GX160/200 clutch

Fpx#	Description	Price
1-61-0003	Clutch, GX140 160 200 Complete (See Notes)	\$299.00

SPECIAL TOOLS



Ref	Fpx#	Part number	Description	Price
001	02389231	07401-0010000	07401-0010000 Float Level Gauge	\$43.21
002	07535091	07746-0010100	07746-0010100 Attachment, 32x35mm	\$8.52
003	09598250	07746-0010500	07746-0010500 Attachment, 62x68mm	\$28.28
004	15011210	07746-0010600	07746-0010600 Driver OU 72X75mm	\$33.21
005	07534590	07746-0030100	07746-0030100 Driver, Handle 40mm	\$68.20
006	08131130	07746-0030300	07746-0030300 Attachment, 30mm I.D.	\$31.09
007	12528080	07746-0030400	07746-0030400 Attachment, 35mm ID	\$25.27
008	09598821	07746-0040300	07746-0040300 Pilot, 15mm	\$5.04
009	12528161	07746-0040500	07746-0040500 Pilot, 20mm	\$9.29
010	10212520	07746-0040700	07746-0040700 Pilot, 30mm	\$14.85
011	13829440	07746-0040800	07746-0040800 Pilot, 35mm	\$17.78
012	09332421	07749-0010000	07749-0010000 Driver	\$33.69
013	28323190	07780-P1020A	07780-P1020A Valve Seat Cutter #114 60	\$172.38
014	28323010	07782-P01010B	07782-P01010B Valve Seat Cutter #128 30-45	\$244.80
	23327240	07781-P02010A	07781-P02010A Solid Pilot Bar, 6.60mm	\$40.80
	23823310	07781-P02020A	07781-P02020A Solid Pilot Bar 6.62mm	\$40.80
	23823490	07781-P02030A	07781-P02030A Solid Pilot Bar 6.65mm	\$41.82
	28324751	07782-P01010A	07782-P01010A T-Wrench #505	\$23.46
	28324831	07782-P01020A	07782-P01020A T-Wrench Adapter #503-1	\$19.38
	28324911	07782-P01030A	07782-P01030A Accessory Package #246	\$13.26
	07249060	07942-6570100	07942-6570100 Driver, Valve Guide	\$13.60
16	42189541	07984-ZE2000D	07984-ZE2000D Valve Guide Reamer 6.6mm	\$135.66
17	17244751	07936-KC10500	07936-KC10500 Remover Bearing 15mm	\$121.83

We carry all the engine specific tools you need to keep your GX series engines running strong.



Compression Tester, # 3-96-0009



Ignition Tester, #3-96-0006



Flat Style Oil Plug Wrench



Nub Style Oil Plug Wrench

Fpx#	Description	Price
3-60-0011	Tool, Heli-Coil Kit M6 x 1.0	\$78.52
3-60-0030	Tool, Heli-Coil Kit M14 x 1.25 Go-Kart Spark Plugs	\$89.72
3-60-0032	Tool, Heli-Coil 3/8-24 Refill	\$2.05
01336	Tool Wrench, Nub Style Oil Plug Remover	\$14.81
01337	Tool Wrench, Flat Style Oil Plug Remover	\$13.46
3-96-0009	Tool, Compression Tester	\$163.70
1-60-1000	Tool, Hub Puller (Center and Stand Offs) Sell: 1-60-A1000	\$99.86
3-96-0006	Tool, Ignition Tester	\$12.23



Hub Puller, #1-60-1000

The simple, cost effective system for repairing or creating stronger threads.



Thread Repair Kits

Recoil thread repair kits contain a quality HSS tap, installation tool, precision stainless steel inserts and instructions, in a sturdy reusable container. Recoil has a full range of problem solving repair kits, available in single or multiple size format.


Inserts

Recoil stainless steel inserts are manufactured in a full range of thread forms and lengths and available in convenient replacement packets, or bulk.

Tooling

Features the simple Recoil repair kit installation tool for general maintenance use. Also offered is a wide range of semi-automatic, electric and pneumatic installation tools, High speed steel taps, and complete installation systems for production applications.

Fluid transfer tools



BLEED YOUR BRAKES WITH EASE. EASY TO USE POWER BLEEDER SIMPLY WORKS GREAT. REDUCES PEDAL MUSH BY FORCING ALL THE AIR OUT OF THE SYSTEM!

Power brake bleeder tool
#3-96-0032

Oil Dispenser
Air operated w/meter
#011050



Oil Extractor
Air operated
#011060



BEST DEAL!

Oil Extractor
FPX - Electric operated.
#1-60-0130

SIMPLE, EASY OIL EXTRACTION. JUST INSERT THE SUCTION TUBE INTO THE CRANKCASE FILLER NECK AND GIVE IT A FEW PUMPS TO START THE SUCTION.

Hand operated oil extractor #5958434



TOOLS SHOP TOOLS SHOP TOOLS

Tire tools



**BEAD BREAKER HD
A QUICK AND SAFE
WAY TO REMOVE
YOUR TIRES FROM
THE RIMS.**


Tire Bead Breaker
3-96-A0001

SAVE TIME AND REDUCE PINCHED TUBES WITH THE WHEEL ASSEMBLY TOOL.



Wheel Assembly Tool #1-20-T001


This wheel assembly tool is designed for assembly and disassembly of your tire/rim assemblies. This tool is a real time and back saver!



Lifts & accessories

GO-KART AIR OPERATED LIFT

1000lb capacity with a 24"x80" deck that raises to a working height of 30" makes this an ideal and valuable addition to your maintenance facility.



Auxiliary Fuel Tank for lifts, #3-96-0039

Pole Attachment for lifts (lift not included), #3-60-0042

Electric Lift, #3-60-0043



These small electric or manual lifts are perfect for maintaining small equipment like lawnmowers, track blasters and more.



Lift Extensions, #3-60-0049

LS SHOP TOOLS SHOP TOOLS

FunParts Xpress carries many of the tools you'll need to keep your go-karts on track.

Call us today to get your matenance facility equipped with all the essential tools you need.

FPX
FUN PARTS XPRESS
GO-KART & BUMPER BOAT PARTS
A DIVISION OF J&J AMUSEMENTS, INC.



Now it's easy to set the speed of your entire go-kart fleet.

The Vortex Pro 1200 Kart Speed Gauge is a clean, simple, rugged instrument for measuring and setting kart speed from a spinning rear wheel. Based on a German-made Sigma Sport BC1200 cycling computer, it accurately displays current speed, with the ability to store maximum and average speeds and other functions as well. The Vortex can be used on either side of the kart, at speeds up to approximately 60mph (100kph). The auto-on and power save features ensure many months of use without changing batteries.

1-60-0206



THE EAGLE*
(Available as two-seater)

Full Size Go-Karts from



Nerf Bar is an option on fiberglass bodied go-karts. Nerf Bar is standard equipment on non-bodied go-karts.





THE F-22
(Available as two-seater)

Optional UHMW bumpers
available



THE SIDEWINDER*
(Available as two-seater)



THE SCORPION
(Available as two-seater)

* Available in electric-powered

J&J's gas-powered bumper boat... The original still going strong!

BF2.3D Engine

Chosen for its reputation for dependable service, and its reduced emissions (less smoke and less oil in the water), this motor quietly performs. Initially designed for use in the corrosive marine environment, this dependable unit has been modified to be controlled from behind, and transformed to operate in bumper boat pond conditions.

Room for 3;
1 adult & 2 children

J&J equipped
Honda BF2D
gas engine

Fiberglass hull

This seamless, two-piece, fiberglass hull comes in an array of colors to choose from. Pick two colors from our extensive color list, and we'll build it. Match it up with an optional (standard on Blasterboat) Super Tube in your choice of two colors and we'll do the rest.

Hand rails

J&J is always concerned with safety, and we design our products with it at the top of the design criteria. With this in mind, we added the safety hand rails to the bumper boat hulls to allow safer and easier access into and out of the bumper boats.

Prop guard

Our prop guards are designed to allow maximum flow, while meeting the safety requirements of every known standard. Built to last in the most corrosive of environments, prop guards are made of stainless steel, then powder-coated to extend life and reduce electrolysis.

Stainless steel
handrails & all stainless
hardware

Heavy-duty
fiberglass hull

Heavy-duty
Super Tube



The best electric bumper boat ever!

With electric power and a "water blaster" squirter, your customers will come back for more.
All-day operation on a single charge!




Tired of customers ignoring pit lane speed limits?

Kartrol is a solid-state, electronic, engine speed limiter used on go-kart motors to reduce the engines rpm by remote control. This gives the track operator more control over the track environment, enabling him to reduce the speed of an individual go-kart, a group of go-karts, or all of the go-karts at will.

As an optional part of the system, the Kartrol pit generator can be mounted near the pit entrance to, when activated, reduce rpm of every go-kart that passes by, without affecting other go-karts on the track. This greatly improves safety in the pit area, for both the employees and patrons.

Kartrol locations on go-kart.



Kartrol EXE Table Top Console

The Kartrol EXE table top Console should be located in the pit area in such a place where as the attendant has a clear view of the track and the track operators.

Consists of parts #1-60-9005 (console) and #1-60-9013 (transformer).



Kartrol EXE Pit Controller Generator (Pit entrance)

Location determined by layout of track. Position should be determined

by placing pit loop in such a place as to ensure go-karts are completely slowed to pit speed before entering the pit area. (See Kartrol EXE Manual for installation instructions).


Consists of parts #1-60-9003 (controller) and #1-60-9014 (transformer).



Kartrol EXE Go-Kart Control Sensor/Receiver

Located on each go-kart

#1-60-9026 (receiver) ,#1-60-9045-sensr (wire/sensor)




Kartrol EXE RedGo-Kart Control Sensor/Receiver for CDI controlled engines

Located on each go-kart

#1-60-9800, 1-60-9802, 1-60-9801 and 1-60-9803

Kartrol locations on track.



Take control of your track with Kartrol!




Kartrol EXE Pit Controller (Pit Exit)

Location determined by layout of track. Position should be determined by placing pit loop in such a place as to ensure go-karts are triggered to track speed upon leaving the pit area (See Kartrol EXE Manual for installation instructions). Consists of parts #1-60-9003 (controller) and #1-60-9014 (transformer). See page 2 for installation instructions.

FPX
FUN PARTS XPRESS
 GO-KART & BUMPER BOAT PARTS
 A DIVISION OF J&J AMUSEMENTS, INC.

Choose the right console to suit your particular needs.

Fpx#	Description	Price
1-60-5001	Console, Kartrol EXE Enclosure W/Remote Buttons	\$999.00
1-60-5008	Console, Message Video/Audio Only, Bogen AMP, PA Ready	\$2,899.00
1-60-5000	Console, Ride Timer W/ Strobe Toplight, PA, Message Repeater	\$2,100.00
1-60-5006	Console, Traffic Light Control	\$1,575.00
1-60-5002	Console, Traffic Light Control W/AV Messenger, PA	\$3,499.00
1-60-5003	Console, Traffic Light Control W/AV Messenger, PA, EXE Remot	\$3,999.00
1-60-5009	Console, Traffic Light Control W/EXE No AMP	\$3,199.00



1-60-5000



1-60-5003



1-60-5001



1-60-5002



1-60-5008

What is the Command Console?

The Command Console is a state-of-the-art timing & message-delivery system with integrated kartrol housing that allows your attendants to maximize your returns while making the ride safe.

What does the Command Console do?

The Command Console allows your attendant to operate and control the ride from one central location. The console is an event-timing system that controls ride time and up to 5 *traffic lights. Has audio & video playback capability** for your pit area message, includes a PA amp with a hand-held microphone, and features an integrated Kartrol enclosure.

Your track attendant starts each session by depressing the green "go" button. The traffic control circuit changes the traffic lights to green and accurately times the ride to a preset time. If you need to slow the ride, the attendant simply presses the yellow button. The traffic lights* go to yellow. Kartrol*** equipped consoles also benefit from a second set of buttons that allow the attendant to control the go-karts. Pressing the yellow button on these consoles slows the go-karts to "crawl" speed, and pressing the red button allows for a complete stop of the ride.

When the ride is coming to an end, the system sends a signal to the traffic lights* to flash the yellow lights, and it emits an audible tone at the speakers** to alert the attendants and riders to prepare for the end of ride. After a few moments, the traffic lights will flash red until the next session is started. If no ride is started for a designated time, the console goes into "sleep mode", and shuts down the traffic lights to save energy.

During the pre-ride, the console can play an audio or video** safety briefing for your customers. This message can be set to toggle or loop constantly. The console comes equipped with a generic audio message and with a professionally produced safety video: just hook up a few video monitors.

The Command Console is made to be outdoors year-round with its heavy duty enclosure.

J&J products are manufactured to comply with ASTM standards and are intended for controlled course concession use only. Any other use is not intended or implied.

COMMAND CONSOLE - TRAFFIC LIGHT CONTROL



4897 Indian School Road NE
Salem, Or. U.S.A. 97305
1-800-854-3140 or 1-50-304-8899
www.jj-amusements.com

Falcon - for the smallest drivers.

Hand controls easily
accommodate young drivers



Keep the entire family at your park longer by keeping the youngest member of the family happy. Just charge the kart overnight and the electric-powered Falcon will keep the littlest guest smiling the entire day through.

J&J's Falcon go-kart is made especially for the smallest patrons. This little electric-powered go-kart is tough; it runs and runs... and runs!

Specifications

Length	Width
52"(132cm)	27.6"(70cm)



Kiddie Go-Karts

Portable, inflatable
Falcon track that
sets up in minutes
anywhere!



Dimensions:
48'x31.5'x8'

Track comes with heavy
-duty blower.
Falcon go-karts not included.

WARNING DECALS

All go-karts leave J&J Amusements with warning decals in place. All warning decals must be legible. If any warning decal cannot be read you must replace it immediately. J&J carries all the decals you need. See section 12 for decals placement locations.

#1-60-0288


WARNING!

Go-karts have rotating parts.

Hair longer than shoulder length must be secured above shoulder.

Serious injury or death could occur!

DO NOT REMOVE THIS DECAL



#1-60-0388



TO HELP PREVENT INJURY OR DEATH

All pads and guards must be maintained and in place during operation of this device.

DO NOT REMOVE THIS DECAL

#001711

WARNING

- GASOLINE IS EXTREMELY FLAMMABLE AND IS EXPLOSIVE UNDER CERTAIN CONDITIONS.
- REFUEL IN A WELL-VENTILATED AREA WITH ENGINE STOPPED. DO NOT SMOKE OR ALLOW FLAMES OR SPARKS IN THE AREA WHERE THE ENGINE IS REFUELED OR WHERE GASOLINE IS STORED.
- DO NOT OVERFILL THE TANK (THERE SHOULD BE NO FUEL IN THE FILLER NECK). AFTER REFUELING, MAKE SURE THE FUEL CAP IS CLOSED SECURELY AND VENT OPEN.
- BE CAREFUL NOT TO SPILL FUEL WHEN REFUELING. SPILLED FUEL OR FUEL VAPOR MAY IGNITE. IF ANY FUEL IS SPILLED, MAKE SURE THE AREA IS DRY BEFORE STARTING THE ENGINE.
- NEVER REFUEL WHEN RIDERS ARE PRESENT.

J&J Amusements, Inc. 1(800) 854-3140

#00979

No Bumping Allowed!

DO NOT REMOVE THIS DECAL

#001712R


 **WARNING**

- Must meet posted height requirement.
- Shoes and shirt must be worn.
- All loose clothing must be secured.
- Hair longer than shoulder length must be secured above shoulder length.
- Keep both hands on steering wheel and both feet in kart at all times, unless otherwise instructed by attendant.
- One person per restraint.
- Restraint must be worn at all times when in kart.
- Do not bump, skid or slide karts.
- Riders must remain seated at all times unless instructed by attendant.
- No one under the influence of drugs or alcohol is allowed to ride.
- This ride is not recommended for individuals who have heart problems, neck or back problems, or pregnant women.
- Participate at your own risk.

Part Number 001712R

DO NOT REMOVE THIS DECAL



#1-60-0020



DANGER

Hair longer than shoulder length must be secured above shoulder.

Keep arms and legs in kart at all times.

 **BRAKE** **GAS** 

DO NOT REMOVE THIS DECAL

#00978

REMAIN SEATED 'TIL ALL CARS STOP!

DO NOT REMOVE THIS DECAL

#00981

 **BRAKE** **GAS** 

DO NOT REMOVE THIS DECAL


#00980

WARNING

Keep Hands And Arms In Car At All Times.

DO NOT REMOVE THIS DECAL

#00180

 **WARNING**

The Engine Exhaust from this product contains chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

Do not remove this decal

GO-KART TRACK RELATED SIGN PACKAGE

Each go-kart track must have legible warning/safety and rules signs in place at the pit area where patron can read them.

GO-KART RULES

Please Read Before Riding...

- (Single Seat Kart) Driver must be at least 58 inches (147cm) tall.
- (Double Seat Kart) Passenger must be at least 40 inches (101cm) tall and the driver must be an adult (at least 18 years old), or a parent.
- Shoes and shirt must be worn.
- No eating, drinking or smoking in go-karts or in track area.
- Fasten all loose clothing before entering the track area.
- Any hair that exceeds shoulder length must be secured above shoulder length.
- Keep both hands on steering wheel and both feet in go-kart at all times unless otherwise instructed by the attendant.
- Anyone assumed to be under the influence of alcohol or drugs shall not be allowed in track area.
- No running, pushing or horseplay allowed.
- Do not bump, skid or slide go-karts.
- Slow down when entering pit, wait for attendant's instructions.
- Seatbelts must be worn at all times.
- Riders must remain seated at all times when in go-kart.
- If any trouble develops, stay in your go-kart and raise your hand.
- Any misconduct or failure to follow these rules will result in immediate removal from the track area.
- This ride is not recommended for individuals who have heart problems, neck/back problems or pregnant women.
- Ask the attendant if you have any questions.
- We reserve the right to refuse service to anyone.
- Participate at your own risk.

THANKS FOR RIDING AND COME BACK SOON

J&J Amusements, Inc. - (503) 304-8899

CAUTION: Due to the nature of this attraction it is not recommended for individuals who have heart problems, neck or back problems, or pregnant women.

Participate at your own risk.

WARNING

DRIVERS WILL BE HELD RESPONSIBLE FOR ALL DAMAGES TO PERSONS OR PROPERTY. PLEASE DRIVE SAFELY.

ALL LOOSE CLOTHING AND HAIR LONGER THAN SHOULDER LENGTH MUST BE SECURED

J&J Signs are made of tough weather resistant fiberglass made to withstand the abuse of day to day use at Entertainment Centers. All signs have the text laminated inside to prevent scratching.

IMPORTANT - Worn or damaged warning decals should always be replaced. Do not put into service any go-kart or bumperboat that does not have legible warning decals.

***** ABSOLUTELY *****

NO BUMPING

*** THESE ARE NOT BUMPER CARS ***

Complete kit comes with 5 signs listed in chart below.

Fpx#	Description	Price
KITKARTSIGN	Sign Package, Go-Kart Start Up	\$598.94
00498	Sign, Warning- Drivers Will Be Held 24x14	\$95.37
00493	Sign, Caution - Due To The Nature Of 18x12	\$69.74
004830	Sign, Absolutely No Bump 50 x 18 (black on white)	\$299.00
00516	Sign, Go-Kart Rules (24x36) Spanish	\$185.47
00515	Sign, Long Hair 16x9	\$69.74

CLEANING GO-KARTS

CLEANING KART BODIES

The best way to preserve your go-karts' finish is to keep it clean by washing it often with lukewarm or cold water. Don't wash your kart in the direct rays of the sun. Don't use strong soaps or chemical detergents. Use liquid hand, dish or car washing (mild detergent) soaps. Don't use cleaning agents that contain acid or abrasives. All cleaning agents should be flushed promptly and not allowed to dry on the surface, or they could stain. Dry the finish with a soft, clean chamois or a 100% cotton towel to avoid surface scratches and water spotting.

NOTE: Do not damage warning decals. Damaged or illegible warning decals must be replaced immediately.

FINISH CARE

Occasional waxing or mild polishing of your karts may be necessary to remove residue from the finish. Use an approved fiberglass polish. 303 Protectant can be used on clean go-kart bodies to act as a UV protectant.

NOTE: Machine compounding or aggressive polishing on the body may dull the finish or leave swirl marks.

BODY TRIM

Silicone grease on body trims will make them last longer. Apply silicone grease with a clean cloth at least three times per season. During very cold, damp weather, more frequent application may be required.

FINISH DAMAGE

Any stone chips, fractures or deep scratches in the finish should be repaired right away. Minor chips and scratches can be repaired with materials available from almost any auto parts store. Larger areas of finish damage can be corrected by a local body and paint shop.

CHEMICAL SPOTTING & SUN FADING

Some weather and atmospheric conditions can create a chemical fallout. Airborne pollutants can fall upon and attack the surfaces on your kart. This damage can take two forms: blotchy, ringlet-shaped discolorations, and small irregular dark spots etched into the paint surface.

CLEANING FRAMES

Remove bodies weekly for frame cleaning and inspection.

Using a pressure washer, clean the entire frame of any dirt or grease that might have collected.

After spraying off the frame and wiping it dry, grease all the zerk fittings with good quality grease. Spray a rust inhibitor on all linkage rods, tie rod ends, springs or any unpainted surfaces.

< WARNING >

Do not spray brake disc or caliper. This will cause a loss of brakes and could cause an accident.

CLEANERS AND PROTECTANTS

J&J carries many cleaning and protection products to keep your go-karts in top condition. From smaller spray bottles to 5 gallon containers of product, we've got you covered. Give us a call!





FUN PARTS XPRESS

PRECISION QUALITY PARTS


A Division of J&J Amusements, Inc.

Bumper Boats & Go-Karts - Make them look better and last longer with 303.

An enlarged side view of common vinyl fabric would show raw PVC (polyvinyl chloride) covered by a thin layer of plastic called the "topcoat". The topcoat is the part of the vinyl you can see and touch. To keep vinyl fabric soft and flexible, manufacturers add agents known as plasticizers to the raw PVC.

A major function of the topcoat is to hold in these plasticizers, which otherwise would quickly evaporate. If the topcoat is damaged or degraded, plasticizers begin to escape leading to embrittlement, cracking, and failure.

Protecting the topcoat, then, is the most crucial aspect of properly maintaining vinyl, and is the subject with which vinyl manufacturers are most concerned. Vinyl manufacturers agree on and recommend the following:



General Cleaning: Never use household cleaners, powdered or other abrasives, steel wool or industrial cleaners, dry cleaning fluids, solvents (petroleum distillates), bleach or detergents. Use a medium-soft brush, warm soapy water, (such as Ivory soap), rinse with cool water and then dry.

Mildew Stains: To kill the bacteria creating the mildew, use a medium-soft brush and vigorously brush the stained area with a 4-to-1 mixture of water and ammonia; rinse with cool water.

Tough Mildew Stains: Apply a mixture of one (1) teaspoon ammonia, one-fourth (1/4) cup of hydrogen peroxide and three-fourths (3/4) cup of distilled water; rinse with cool water. Note: All cleaning methods must be followed by a thorough rinse with water.

Obviously abrasives should never be used on vinyl. Petroleum distillates are a universal "no no" for both vinyl and rubber.

Waxes should never be used on vinyl because (a) Most waxes contain petroleum distillates; (b) Wax is a build-up product, holding in the heat absorbed from the sun and accelerating heat damage.

Virtually all vinyl manufacturers agree that no type of oil should be used on vinyl. Silicone oil vinyl treatments should not be used for several reasons: 1) They typically attack the vinyl topcoat. 2) They usually contain no effective UV screening ingredients. 3) They are build-up products which accelerate heat damage. 4) Silicone oil formulations are greasy and oily, attract dust, and soil more quickly. **READ THE LABEL!** Product directions suggesting more than one coat for better cosmetic enhancement are build-up products and are not recommended by vinyl manufacturers.

303 FOR VINYL 303 Protectant is a beautifying liquid sunscreen, the routine use of which keeps vinyl looking like new while dramatically extending its useful life. 303 contains no petrochemicals, silicone oils or petroleum distillates. 303 is not a build-up product, so treated surfaces dissipate heat normally.

303 is not oily or greasy and does not attract dust. In fact, 303 treated vinyl repels dust, dirt and stains, stays cleaner longer, and is much easier to clean when finally soiled. Since 303 contains a tested-safe-for-vinyl cleaner and is a cleaner, and protector combined, precleaners and precleaning usually are not required.

303 has been tested and is recommended by major vinyl and vinyl accessory manufacturers. As the leader in UV screening technology since 1980, 303 is the most powerful UV screening treatment available for vinyl, leather, rubber, gel coat fiberglass and most plastics. Regular use of 303 can reduce UV-caused slow-fade up to 100%.



BIGFOOT TIRES

Longest lasting Bigfoot ever made!



We are THE Go-Kart Tire Store

Buy tires in bulk
and save! 20' &
40' containers
available.

We have many more types available.
Please call us for details.

FPX is "The Tire Store" for
concession go-kart tires. We
carry every major brand in the
most popular sizes.

We stock so many tires we had
to open up another warehouse
on the east coast! That's right,
we have a warehouse in Atlanta, Georgia and one
at our headquarters in Salem, Oregon! What's that
mean to you? It means you get the tires you need
FAST and shipped for less!



Bigfoot "Concession"



Bigfoot tires for
FKL, CanAM and
Formula K go-karts



Bigfoot Indoor &
Outdoor W I D E
slicks

TIRES - 736		
Part #	Description	Price
1-20-0037	Tire, 11 x 3.60 - 5" SL72 736HD	\$21.10
1-20-0049	Tire, 13 x 4.00 - 6" SL72 736HD	\$28.05
007880COMBO	Tire, 12 x 4.00 - 5" SL72 Bigfoot COMBO (W/Tube)	\$22.99
007890WET	Tire, 12 x 4.00 - 5" Duckfoot (Treaded)	\$20.35
007880	Tire, 12 x 4.00 - 5" SL72 Bigfoot (TIRE ONLY NO TUBE!)	\$21.99
00791	Tire, 4.10/3.50 - 5" SL72 736HD	\$18.70

TIRES - 738		
Part #	Description	Price
1-20-0054	Tire, 4.10/3.50 - 4" SL72 738HD	\$15.80

TIRES - 739		
Part #	Description	Price
1-20-0064	Tire, 11 x 4.50 - 5" SL72 739 Race Style Slick	\$14.99
1-20-0028	Tire, 11 x 6.00 - 5" SL72 735 Square Shoulder	\$26.25
1-60-0008	Tire, 11 x 7.10 - 5" SL72 739 Race Style Slick	\$21.90
1-60-0009	Tire, 10 x 4.50 - 5" SL72 739 Race Style Slick (Bigfoot)	\$16.50
1-20-0030	Tire, 16 x 6.50 - 8" SL72 739	\$43.00
1-20-0023	Tire, 3.40/3.00 - 5" SL72 739 Slick (4 Ply, 3.5"W x 10.8"od)	\$12.99

TIRES - KIDZKART & FALCON		
Part #	Description	Price
1-60-0185	Tire, 4.10/3.50-5 4-ply Falcon Electric King	\$18.99
1-60-0276	Tire, 4.10/3.50-5 2-Ply Stud Falcon Electric Kenda	\$18.36
KDZ3031	Tire, 4.10/3.50 - 4" (Gray) Kidzkart	\$24.95
KDZ3035	Tire, 2.80/2.50 - 4" (Gray) Kidzkart	\$19.00

TUBES		
Part #	Description	Price
1-20-0048	Tube, 10 x 4.50 - 5 TR87	\$4.99
1-20-0038	Tube, 11 x 6.00 - 5 TR87	\$4.99
1-20-0045	Tube, 11 x 7.10 - 5 CS	\$4.99
00780	Tube, 3.40/3.00-5" (Bent Stem 90 degree Outward)	\$2.55
00780-M	Tube, 3.40/3.00-5" (Bent Stem 45 degree Middle (BEST)(FPX)	\$3.80
00782	Tube, 4.10/3.50-6" (Bent Stem)	\$2.68
1-20-0027	Tube, 15 x 6.00 - 6 (Used for 15 x 6.00 - 6 Tire)	\$4.99

Duckfoot®


Bigfoot®



Call today for
your FREE price quote!

TIRES/TUBE COMBINATION DEALS

Part #	Description	Price
007880COMBO	Tire, 12 x 4.00 - 5" SL72 Bigfoot COMBO (W/Tube)	\$22.99
Quantity discounts available on quantities over 100.		



We ship tire/tube combos from both coasts!

We know how important it is to keep your go-karts on the track so we opened an East coast warehouse in Atlanta to supplement our West coast Salem, Oregon warehouse.

The Atlanta warehouse ships tire/tube combination deals only. We do not carry a full line of parts or other tires at this warehouse.


From these two shipping locations we can ground ship tire/tube combination deals to almost every U.S. city within 3 days.

We also ship world wide!



Tire/Tube combination deals include only tire and tube. Does not include wheels or lug bolts.

Go-Kart Drive Belts



Gates new Poly Chain® GT® Carbon™ Belt. Nothing Tougher.

If you thought roller chain was your only drive option, think again. Gates new Poly Chain® GT® Carbon™ belt is part of a powerful synchronous belt drive system that outperforms roller chain in even the most demanding high-torque applications.

Gates Poly Chain® GT®2 belts have been replaced with Poly Chain GT Carbon belts. In most drives they serve as a direct replacement.

Fpx#	Description	Price
1-20-0076	Belt, Drive 8M-720-36 GTC	\$90.51
1-20-0077	Belt, Drive 8M-800-36 GTC	\$78.85
1-20-0078	Belt, Drive 8M-896-36 GTC	\$79.05
1-20-0079	Belt, Drive 8M-1000-36 GTC	\$98.99
1-20-0100	Belt, Drive 8M-1120-36 GTC	\$97.91
1-20-0113	Belt, Drive 8M-800-18 Giga Torque GX (new for 2014)	\$35.58

FunParts Xpress carries many of the tools you'll need to keep your go-karts on track. Call us today to get your maintenance facility equipped with all the essential tools you need.



FPX Track Blaster

Imagine cleaning and drying your Go-Kart track in the time it takes to walk it. Well, now you can with the Track Blaster from FPX!

We offer the most powerful walk-behind blower on the market today. The hurricane force wind is created by a Honda 13 hp or Honda/Robin 9hp commercial grade engines. The Track Blaster is capable of producing wind speeds of up to 180mph and over 2,400cfm which allows you to get the job done fast. The Track Blaster is easy to start and operate. Its large 15-inch pneumatic rear tires make pushing it a "breeze." There is also a self propelled version for tracks with bridges. The Track Blaster is great for all your cleaning and drying needs. Use it on your track, parking lots, or your landscape. With a throttle control arm, you can adjust the wind speed to fit any of these cleaning tasks. **Order yours today, and don't let the rain shut you down.**



Generators & Pressure Washers!
 We got it all!

Fax Order Form



Photocopy this order form.
If you wish to confirm receipt call or e-mail:
Phone: 1-503-304-8899 or 1-800-854-3140
E-mail: parts@jjamusements.com

Fax Anytime - Day or Night
Toll Free (USA) 1-800-366-7505
International 1-503-304-1899

For the latest information, visit www.funpartsexpress.com and www.jjamusements.com

Date: 10-16-14 Time: 9:18 AM/PM Customer # MY CUSTOMER # (Required for all orders)

E-mail: john @ johnsfuncenter.com

Bill to: Family Fun USA
123 Fun Street
Funtown, USA, 55513

Ship to: Family Fun USA
123 Fun Street
Funtown, USA, 55513

Phone# (123) 123-1234 Ext: _____

Fax # (123) 123-1234

PO# or Contact Name: John Q. Sample

Visa ☒ M/C _____ Discover _____ AMEX _____ Verification Code 123

Card Number: 1 2 3 4 5 6 7 8 9 1 2 3 4 5 6 7 Expires: 11-23-16

Name on card: John Q. Sample Signature: Sign here
(Print name exactly as it appears on the credit card.)



Ship via UPS
(please ☒ one)

☐ UPS Ground (3-7 days)
☐ UPS Orange (3 days)
☒ UPS Blue (2 days)

☐ UPS Red (1 days)
☐ UPS Red Saturday (Select areas only)
☐ International

	Part#	Qty	Description	Price
1	<u>30234880</u>	<u>1</u>	<u>Piston Ring A Set (JD240)AM</u>	
2	<u>16724500</u>	<u>1</u>	<u>Spark Plug (W16EPP-U) 98079-55855</u>	
3	<div>Please be sure to fill in all the required information on this form in a clear manner. (Please print neatly).</div> <div>Make sure all credit card information is accurate.</div> <div>Make sure you select the type of shipping. The default is UPS Ground.</div> <div>You are responsible for all content and accuracy.</div> <div>Please note: Your order may not be processed if you have left out any required information.</div>			
4				
5				
6				
7				
8				
9				

Special instructions: Please call John if you cant send the order in full, thanks!

GO-KARTS
J&J Amusements
BUMPERBOATS

FPX
FUN PARTS XPRESS
 GO-KART & BUMPER BOAT PARTS
 A DIVISION OF J&J AMUSEMENTS, INC.

Fax Anytime - Day or Night
Toll Free (USA) 1-800-366-7505
International 1-503-304-1899

Date:_____ Time:_____ AM/PM Customer #_____ (Required for all orders)

E-mail: _____@_____

Bill to: _____

Ship to: _____

Phone# () Ext:


Fax # ()

PO# or Contact Name: _____

Visa M/C Discover AMEX Verification Code

Card Number: _____ Expires: _____

Name on card: _____ Signature: _____
(Print name exactly as it appears on the credit card.)

	Ship via UPS (please <input checked="" type="checkbox"/> one)	<input type="checkbox"/> UPS Ground (3-7 days) <input type="checkbox"/> UPS Orange (3 days) <input type="checkbox"/> UPS Blue (2 days)	<input type="checkbox"/> UPS Red (1 days) <input type="checkbox"/> UPS Red Saturday (Select areas only) <input type="checkbox"/> International
---	--	--	--

	Part#	Qty	Description	Price
1				
2				
3				
4				
5				
6				
7				
8				
9				

Special instructions: _____

Fax Order Form



Photocopy this order form.
If you wish to confirm receipt call or e-mail:
Phone: 1-503-304-8899 or 1-800-854-3140
E-mail: parts@jjamusements.com

Fax Anytime - Day or Night
Toll Free (USA) 1-800-366-7505
International 1-503-304-1899

For the latest information visit www.funpartsxpress.com and www.jjamusements.com

Page 2

Company Name: _____ Customer # _____

	Part#	Qty	Description	Price
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				

Double check all part numbers and descriptions before placing order.

All prices are subject to change without prior notice.

Parts guides are available on the internet. Get the latest news & updates:
www.funpartsxpress.com or www.jjamusements.com

Thank you for your order, your business is appreciated!

J&J Amusements and Fun Parts
Xpress have an extensive
library of publications to keep
your maintenance
department
running and your
GM happy!



Go-karts, bumper boats,
parts & park accessories
all under one roof!